

Genus	Vol. 25(4): 673-693	Wrocław, 27 XII 2014
-------	---------------------	----------------------

## Janusz PLUCIŃSKI and his Coleoptera collections in the Museum of Natural History, University of Wrocław

PAWEŁ JALOSZYŃSKI<sup>1</sup>, JACEK KURZAWA<sup>2</sup>, ANNA WANAT<sup>1</sup>, MAREK WANAT<sup>1</sup>


<sup>1</sup>Museum of Natural History, University of Wrocław, Sienkiewicza 21, 50-335 Wrocław, Poland. E-mail:  
scydmaenus@yahoo.com (PJ), anna.wanat@uni.wroc.pl (AW), wanatm@biol.uni.wroc.pl (MW)  
<sup>2</sup>ul. Sterlinga 2/10, 97-200 Tomaszów Mazowiecki, Poland. E-mail: jk@entomo.pl

**ABSTRACT.** Janusz PLUCIŃSKI (1925-1999), a professor of chemistry of the Wrocław University of Technology, was a devoted collector of longhorn beetles (Cerambycidae, Disteniidae and Vesperidae) and leaf-rolling weevils (Rhynchitidae and Attelabidae). After his death, his collections have been donated to the Museum of Natural History, University of Wrocław. They consist of 9180 specimens representing 1570 identified nominal species and subspecies; with a strong representation of Cerambycidae (1254 species and subspecies), Rhynchitidae (106 species and subspecies) and Attelabidae (202 species and subspecies). PLUCIŃSKI is a vivid example of an amateur coleopterist, whose knowledge has gained a deserved respect among entomologists and his remarkable collections have become a part of the legacy of several generations of naturalists whose specimens are preserved in the Museum of Natural History.

**Key words:** PLUCIŃSKI, Insecta, Coleoptera, Cerambycidae, Disteniidae, Vesperidae, Rhynchitidae, Attelabidae, longhorn beetles, weevils, collection, Wrocław University, Poland.

### INTRODUCTION

Janusz PLUCIŃSKI (1925-1999) was a Polish amateur entomologist interested in selected phytophagous beetle families, whose collections belong to largest in Poland. PLUCIŃSKI spent his youth in Poznań, but moved to Wrocław just after WWII, where he studied chemistry at the Wrocław University of Technology. His entire professional career was associated with this institution, where in 1947, still as a student, he became a vice-assistant in the Department of Organic Chemistry. In 1948 PLUCIŃSKI moved to the Department of Explosive Material Technology, where he got his PhD in 1961, habilitation in 1969 and became a university professor in 1990, to retire a year later. PLUCIŃSKI's professional activities were focused on applied chemistry, mainly techno-



1. Specimens of Cerambycidae from the PLUCIŃSKI Collection. One of several drawers of Dorcadionini (1) and examples of Gleneini (2)

logy of explosive materials, industrial chemical synthesis and chemistry of surfactants (BURCZYK 1999).

PLUCIŃSKI was able to successfully combine his research and teaching activities at the University with a great passion to insects. He was particularly fond of two distant groups of cucujiform Coleoptera: longhorn beetles (Cerambycidae, Disteniidae and Vesperidae) and leaf-rolling weevils (Rhynchitidae and Attelabidae). PLUCIŃSKI himself collected beetles mainly in Poland and Bulgaria during his summer holiday trips. However, his broad international contacts enabled him to exchange specimens with specialists from many countries, including Japan and China, and although he never published any article in entomology, his identification services were appreciated by museums and universities in Poland and abroad. PLUCIŃSKI's will was that his entire collection and entomological library were to be donated after his death to the Museum of Natural History, University of Wrocław (MNHW), institution with which he closely cooperated for many years. Two of the authors (JK, MW) have had the pleasure of knowing prof. PLUCIŃSKI and they occasionally visited him in his small flat in Wrocław to spend hours talking about his favourite beetles.

The PLUCIŃSKI Collection in MNHW retained its original organization and has been catalogued. The specimens are properly curated and both the longhorn beetles and leaf-rolling weevils are the most species-rich collections of these taxa preserved in Polish museums. The entire PLUCIŃSKI Collection consists of 9180 specimens representing 1570 identified nominal species and subspecies; only a small fraction awaits determination.

### Longhorn beetles in the PLUCIŃSKI Collection

The Cerambycidae, Disteniidae and Vesperidae collection (Table 1) comprises 6832 specimens of 1262 identified species and subspecies. Disteniidae and Vesperidae are represented by only three and five species, respectively. The family Cerambycidae (Figs 1-2) includes representatives of 9 subfamilies, 81 tribes, 354 genera and 1254 species and subspecies. The majority of Cerambycidae (83.09%) is Palaearctic, followed by Oriental (12.2%), Afrotropical (3.9%), and a few Nearctic species (0.8%) (Palaearctic taxa are those included in LÖBL & SMETANA (2010), Oriental those not included in this catalogue). PLUCIŃSKI was primarily focused on Eurasia and only within selected genera of Saperdini (*Glenea* NEWMAN, *Nupserha* THOMSON, *Obereopsis* CHEVROLAT) he collected species from outside this area. Phytoeciini, Dorcadionini, Gleneini and Lepturini belong to the largest groups in the collection. The detailed list of taxa is given below.

#### Cerambycidae

##### Apatophyseinae

###### Apatophyseini

- Apatophysis baeckmanniana* SEMENOV, 1907  
*Apatophysis caspica* SEMENOV, 1901  
*Apatophysis pavlovskii* PLAVILSTSHIKOV, 1954  
*Apatophysis sinica* SEMENOV, 1901

##### Necydalinae

###### Necydalini

- Necydalis gigantea* KANO, 1933  
*Necydalis major* LINNAEUS, 1758  
*Necydalis moriyai* KUSAMA, 1970  
*Necydalis solida* BATES, 1884

**Cerambycinae****Achrysonini***Icosium tomentosum* LUCAS, 1854**Anaglyptini***Anaglyptus arabicus* KÜSTER, 1847*Anaglyptus bellus* MATSUMURA & MATSUSHITA, 1933*Anaglyptus colobotheoides* BATES, 1884*Anaglyptus gibbosus* (FABRICIUS, 1787)*Anaglyptus matushitaai* HAYASHI, 1955*Anaglyptus mysticus* (LINNAEUS, 1758)*Anaglyptus niponensis* BATES, 1884*Anaglyptus nokosanus* KANO, 1930*Anaglyptus subfasciatus* PIC, 1906*Paracyltyus excultus* BATES, 1844*Paracyltyus reitteri* GANGLBAUER, 1882*Paracyltyus sexguttatus* ADAMS, 1817**Callichromatini***Anubis bipustulatus* THOMSON, 1865*Aphrodisium cantori* HOPE, 1839*Aphrodisium faldermannii yugaii* KANO, 1933*Aromia bungii* FALDERMANN, 1835*Aromia moschata ambrosiaca* (STEVEN, 1809)*Aromia moschata moschata* (LINNAEUS, 1758)*Cataphrodism rubripenne* HOPE, 1842*Chelidonium argentatum* (DALMAN, 1817)*Chloridolum japonicum* HAROLD, 1879*Chloridolum sieversi* GANGLBAUER, 1887*Chloridolum thaliodes* BATES, 1884*Chloridolum thomsoni* PASCOE, 1859*Embrikstrandia bimaculata* (WHITE, 1853)*Embrikstrandia unifasciata* (RITSEMA, 1896)*Leontium lameeri* (PIC, 1900)*Leontium viride* THOMSON, 1864*Pachyteria dimidiata* WESTWOOD, 1848*Polyzonus bizonatus* WHITE, 1853*Polyzonus fasciatus* FABRICIUS, 1781*Polyzonus obtusus* BATES, 1879*Polyzonus tetraspilotus* HOPE, 1835*Schwarzterium quadricolle* (BATES, 1884)**Callidiini***Callidiellum rufipenne* (MOT Schulsky, 1862)*Callidium aeneum* (DE GEER, 1775)*Callidium chlorizans* SOLSKY, 1871*Callidium coriaceum* PAYKULL, 1800*Callidium villosulum* FAIRMAIRE, 1900*Callidium violaceum* (LINNAEUS, 1758)*Leioderes collaris* REDTENBACHER, 1848*Lioderina linearis* (HAMPE, 1871)*Phymatodes albicinctus* BATES, 1873*Phymatodes maaki* KRAATZ, 1879*Phymatodes quadrimaculatus* GRESSITT, 1935*Phymatodes testaceus* (LINNAEUS, 1758)*Poecilium alni* (LINNAEUS, 1767)*Poecilium fasciatum* (VILLERS, 1789)*Poecilium glabratum* (CHARPENTIER, 1825)*Poecilium lividum* (ROSSI, 1794)*Poecilium pusillum* (FABRICIUS, 1787)*Poecilium rufipes* (FABRICIUS, 1776)*Pronocera angusta* (KRIECHBAUMER, 1844)*Pyrrhidium sanguineum* (LINNAEUS, 1758)*Ropalopus clavipes* (FABRICIUS, 1775)*Ropalopus femoratus* (LINNAEUS, 1758)*Ropalopus insubricus* (GERMAR, 1824)*Ropalopus macropus* (GERMAR, 1824)*Ropalopus siculus* (STIERLIN, 1864)*Ropalopus signaticollis* SOLSKY, 1872*Ropalopus ungaricus* (HERBST, 1784)*Semanotus bifasciatus* MOT SCHULSKY, 1875*Semanotus japonicus* (LACORDAIRE, 1869)*Semanotus laurasii* (LUCAS, 1851)*Semanotus russicus* (FABRICIUS, 1776)*Semanotus semenovi* OKUNEV, 1933*Semanotus sinoauster* GRESSITT, 1951*Semanotus undatus* (LINNAEUS, 1758)*Turanius johannis* BAECKMANN, 1923**Callidiopini***Cerisium leucosticticum* WHITE, 1955*Cerisium longicornis* PIC, 1926*Cerisium sinicum* WHITE, 1855*Stenodryas clavigera* BATES, 1873*Stenygrinum quadrinotatum* BATES, 1873**Cerambycini***Acalolepta formosana* BREUNING, 1935*Acalolepta fraudatrix* *fraudatrix* (BATES, 1873)*Acalolepta luxuriosa* (BATES, 1873)*Acalolepta permutans* *paucipunctata* (GRESSITT, 1938)*Acalolepta permutans* *permutans* (PASCOE, 1857)*Acalolepta sejuncta* (BATES, 1873)*Aeolesthes chrysothrix* (BATES, 1873)*Aeolesthes sarta* SOLSKY, 1871*Cerambyx cerdo acuminatus* MOT SCHULSKY, 1852*Cerambyx cerdo cerdo* LINNAEUS, 1758*Cerambyx dux* (FALDERMANN, 1837)*Cerambyx miles* BONELLI, 1812*Cerambyx multiplicatus* MOT SCHULSKY, 1860*Cerambyx nodulosus* GERMAR, 1817*Cerambyx scopolii* FUESSLY, 1775*Cerambyx welensis* (KÜSTER, 1845)*Derolus mauritanicus* (BUQUET, 1840)*Dymasius hirayamai* MATSUSHITA, 1941*Gibbocerambyx maculicollis* MATSUSHITA, 1933*Hemadius oenochrous* FAIRMAIRE, 1889*Hoplocerambyx spinicornis* NEWMAN, 1842*Lachnopterus auripennis* NEWMAN, 1842*Margites fulvidus* (PASCOE, 1858)*Massicus trilineatus* (PIC, 1933)

- Neocerambyx raddei* BLESSIG, 1872  
*Neoplocaederus scapularis* FISCHER VON WALDHEIM,  
 1821  
*Plocaederus obesus* GAHAN, 1890  
*Rhytidodera bowringii* WHITE, 1853  
*Trachylophus sinensis* GAHAN, 1888  
*Trirachys orientalis* HOPE, 1843  
*Xoanoderia maculata* SCHWARZER, 1925  
*Xoanoderia regularis* GAHAN, 1890  
**Certallini**  
*Certallum ebulinum* (LINNAEUS, 1767)  
**Cleomenini**  
*Artimpaza setigera japonica* PIC, 1928  
*Artimpaza setigera setigera* SCHWARZER, 1925  
*Dere reticulata* GRESSITT, 1942  
*Dere thoracica* WHITE, 1855  
*Kuraruia chujoi* MAKIHARA, 1982  
*Kuraruia rhopalophoroides* HAYASHI, 1951  
**Clytini**  
*Brachyclitus singularis* KRAATZ, 1879  
*Chlorophorus aegyptiacus* (FABRICIUS, 1775)  
*Chlorophorus annularis* FABRICIUS, 1787  
*Chlorophorus aritai* (OHBAYASHI, 1964)  
*Chlorophorus buquetii* LAPORTE & GORY, 1836  
*Chlorophorus diadema* MOTSCHULSKY, 1853  
*Chlorophorus dohertyi* GAHAN, 1906  
*Chlorophorus eleodes* FAIRMAIRE, 1889  
*Chlorophorus faldermanni* (FALDERMANN, 1837)  
*Chlorophorus figuratus* (SCOPOLI, 1763)  
*Chlorophorus glabromaculatus* (GOEZE, 1777)  
*Chlorophorus graticosus* (MARSEUL, 1869)  
*Chlorophorus herbstii* (BRAHM, 1790)  
*Chlorophorus hungaricus* SEIDLITZ, 1791  
*Chlorophorus japonicus* (CHEVROLAT, 1863)  
*Chlorophorus kanoi* HAYASHI, 1963  
*Chlorophorus macaumensis* (CHEVROLAT, 1845)  
*Chlorophorus miwai* GRESSITT, 1936  
*Chlorophorus motschulskyi* GANGLBAUER, 1887  
*Chlorophorus muscosus* (BATES, 1873)  
*Chlorophorus mushanus* MATSUSHITA, 1931  
*Chlorophorus pelletieri* LAPORTE & GORY, 1836  
*Chlorophorus pilosus* (FORSTER, 1771)  
*Chlorophorus quinquefasciatus* (LAPORTE & GORY,  
 1836)  
*Chlorophorus ruficornis* (OLIVIER, 1790)  
*Chlorophorus sartor* (MÜLLER, 1766)  
*Chlorophorus sexguttatus* (LUCAS, 1849)  
*Chlorophorus similimus* KRAATZ, 1879  
*Chlorophorus t-nigrum* (JORDAN, 1894)  
*Chlorophorus trifasciatus* (FABRICIUS, 1781)  
*Chlorophorus varius* (MÜLLER, 1766)  
*Clytobius davidis* (FAIRMAIRE, 1878)  
*Clytus arietis* (LINNAEUS, 1758)  
*Clytus arietoides* REITTER, 1889  
*Clytus auripilis* BATES, 1884  
*Clytus lama* MULSANT, 1847  
*Clytus melaenus* BATES, 1884  
*Clytus raddensis* PIC, 1904  
*Clytus rhamni* GERMAR, 1817  
*Clytus tropicus* (PANZER, 1795)  
*Cyrtoclytus capra* (GERMAR, 1824)  
*Cyrtoclytus caproides* BATES, 1873  
*Demonax albicinctus* HOPE, 1831  
*Demonax albomaculatus* ALLARD, 1894  
*Demonax okuni* MITONO, 1942  
*Demonax transilis* BATES, 1884  
*Grammographus albosignatus* (GAHAN, 1906)  
*Grammographus flavicollis* MATSUSHITA, 1931  
*Grammographus notabilis* PASCOE, 1862  
*Isotomus barbarea* SAMA, 1977  
*Isotomus comptus* (MANNERHEIM, 1825)  
*Isotomus jarmilae* SLÁMA, 1982  
*Isotomus speciosus* (SCHNEIDER, 1787)  
*Kazuoclytus lautooides* HAYASHI, 1950  
*Neoclytus acuminatus* (FABRICIUS, 1775)  
*Plagionotus arcuatus* (LINNAEUS, 1758)  
*Plagionotus bobelayei* (BRULLÉ, 1832)  
*Plagionotus christophi* KRAATZ, 1879  
*Plagionotus detritus* (LINNAEUS, 1758)  
*Plagionotus floralis* PALLAS, 1776  
*Plagionotus lugubris* MÉNÉTRIÉS, 1832  
*Plagionotus pulcher* BLESSIG, 1872  
*Plagionotus scalaris* (BRULLÉ, 1832)  
*Pseudosphegesthes cinerea* LAPORTE & GORY,  
 1836  
*Rhabdoclytus acutivittis* (KRAATZ, 1879)  
*Rhaphuma circumscripta* SCHWARZER, 1925  
*Rhaphuma diminuta* (BATES, 1873)  
*Rhaphuma gracilipes* (FALDERMANN, 1835)  
*Rhaphuma placida* PASCOE, 1858  
*Rhaphuma ruficollis* MITONO, 1842  
*Rhaphuma testaceiceps* PIC, 1915  
*Rhaphuma virens* MATSUSHITA, 1931  
*Rhaphuma xenisca* BATES, 1884  
*Xylotrechus adspersus* GEBLER, 1830  
*Xylotrechus altaicus* GEBLER, 1836  
*Xylotrechus antilope* (SCHÖNHERR, 1817)  
*Xylotrechus arvicola* (OLIVIER, 1795)  
*Xylotrechus asellus* THIEME, 1881  
*Xylotrechus capricornus* GEBLER, 1830  
*Xylotrechus chinensis* CHEVROLAT, 1852  
*Xylotrechus clarinus* BATES, 1884  
*Xylotrechus cuneipennis* KRAATZ, 1879  
*Xylotrechus emaciatus* BATES, 1884  
*Xylotrechus grayi* (WHITE, 1855)  
*Xylotrechus hircus* GEBLER, 1825  
*Xylotrechus ibex* GEBLER, 1825  
*Xylotrechus javanicus* LAPORTE & GORY, 1836

- Xylotrechus laetus* MATSUSHITA, 1933  
*Xylotrechus magnicollis* (FAIRMAIRE, 1888)  
*Xylotrechus namanganensis* HEYDEN, 1885  
*Xylotrechus pantherinus* (SAVENIUS, 1825)  
*Xylotrechus polyzonus* (FAIRMAIRE, 1888)  
*Xylotrechus pyrrhoderus* BATES, 1873  
*Xylotrechus rufilatus* BATES, 1884  
*Xylotrechus rusticus* (LINNAEUS, 1758)  
*Xylotrechus yanoi* GRESSITT, 1934
- Deilini**
- Deilus fugax* (OLIVIER, 1790)  
*Delagrangeus angustissimus* PIC, 1892  
*Delagrangeus schurmanni* SAMA, 1985
- Graciliini**
- Axinopalpis gracilis* (KRYNICKI, 1832)  
*Gracilia minuta* (FABRICIUS, 1781)  
*Lucasianus levallantii* (LUCAS, 1847)  
*Penichroa fasciata* STEPHENS, 1839
- Hesperophanini**
- Hesperophanes sericeus* (FABRICIUS, 1787)  
*Stromatium longicornе* NEWMAN, 1842  
*Stromatium unicolor* (OLIVIER, 1795)  
*Trichoferus campestris* (FALDERMANN, 1835)  
*Trichoferus fasciculatus* (FALDERMANN, 1837)  
*Trichoferus griseus* (FABRICIUS, 1792)  
*Trichoferus machadoi* SAMA & SCHURMANN, 1983  
*Trichoferus roridus* (BRULLÉ, 1838)  
*Turmenigena warenzowi* MELGUNOV, 1893
- Hylotrupini**
- Hylotrupes bajulus* (LINNAEUS, 1758)
- Molorchini**
- Dolocerus holtzi* (PIC, 1905)  
*Dolocerus reichii* MULSANT, 1862  
*Epania dilaticornis kumatai* HAYASHI, 1961  
*Epania shikokensis* OHBAYASHI, 1936  
*Merionoeda formosana formosana* HELLER, 1924  
*Merionoeda formosana iriomotensis* K. OHBAYASHI & N. OHBAYASHI, 1965  
*Merionoeda hirsuta* (MITONO & NISHIMURA, 1936)  
*Molorchus gracilis* (HAYASHI, 1949)  
*Molorchus hattori* (OHBAYASHI, 1953)  
*Molorchus ishiharai* (OHBAYASHI, 1936)  
*Molorchus kiesenwetteri* (MULSANT & REY, 1861)  
*Molorchus kojimai* (MATSUSHITA, 1939)  
*Molorchus marmottani* (BRISOUT, 1863)  
*Molorchus minor* (LINNAEUS, 1758)  
*Molorchus nitidus* (OBika, 1973)  
*Molorchus shibatai* HAYASHI, 1961  
*Molorchus takeuchii* (OHBAYASHI, 1937)  
*Molorchus umbellatarum* (SCHREBER, 1759)
- Nathriini**
- Nathrius brevipennis* (MULSANT, 1839)

- Oibriini**
- Obrium brunneum* (FABRICIUS, 1792)  
*Obrium cantharinum* (LINNAEUS, 1767)  
*Obrium nakanei* OHBAYASHI, 1959
- Protheminii**
- Prothema ochraceosignatum* (PIC, 1915)  
*Prothema signatum* PASCOE, 1856
- Phoracanthini**
- Allotraeus sphaerioninus* BATES, 1877  
*Nysina rufescens* (PIC, 1923)  
*Phoracantha semipunctata* (FABRICIUS, 1775)
- Pseudolepturini**
- Erythresthes bowringii* (PASCOE, 1863)  
*Erythrus championi* WHITE, 1853  
*Erythrus formosanus* BATES, 1866
- Purpuricenini**
- Amarysius altajensis* LAXMANN, 1770  
*Amarysius sanguinipennis* BLESSIG, 1872  
*Anoplistes halodendri ephippium* (STEVEN & DALMAN, 1817)  
*Anoplistes halodendri halodendri* (PALLAS, 1773)  
*Anoplistes jacobsoni* BAECKMANN, 1904  
*Anoplistes mongolicus amoenus* REITTER, 1898  
*Dicelosternus corallinus* GAHAN, 1900  
*Euryclelia cardinalis* (THOMSON, 1861)  
*Euryphagus lundii* (FABRICIUS, 1793)  
*Pavieia superba* BRONNIART, 1890  
*Purpuricenus barbarus* (LUCAS, 1842)  
*Purpuricenus budensis* (GÖTZ, 1783)  
*Purpuricenus dalmatinus* STURM, 1843  
*Purpuricenus desfontainii* (FABRICIUS, 1793)  
*Purpuricenus globulicollis* DEJEAN, 1839  
*Purpuricenus kaehleri* (LINNAEUS, 1758)  
*Purpuricenus lituratus* GANGLBauer, 1886  
*Purpuricenus malaccensis* (LACORDAIRE, 1869)  
*Purpuricenus sideriger* FAIRMAIRE, 1888  
*Purpuricenus spectabilis* MOTSCHULSKY, 1858  
*Purpuricenus temminckii* (GUÉRIN-MÉNEVILLE, 1844)
- Pyrestini**
- Pyrestes cardinalis* PASCOE, 1863  
*Pyrestes curticornis* PIC, 1923  
*Pyrestes haematicus* PASCOE, 1857  
*Pyrestes longicollis* (PIC, 1953)
- Rosalini**
- Rosalia alpina* (LINNAEUS, 1758)  
*Rosalia batesi* HAROLD, 1877
- Stenhomalini**
- Stenhomalus bicolor* (KRAATZ, 1862)  
*Stenhomalus incongruus muneaka* HAYASHI, 1981  
*Stenhomalus naganoi* HAYASHI, 1960  
*Stenhomalus taiwanus* MATSUSHITA, 1933

**Stenopterini**

- Callimoxys gracilis* (BRULLÉ, 1832)  
*Callimus abdominalis* (OLIVIER, 1795)  
*Callimus angulatus* (SCHRANK, 1789)  
*Callimus femoratus* (GERMAR, 1824)  
*Stenopterus ater* LINNAEUS, 1767  
*Stenopterus creticus* SAMA, 1995  
*Stenopterus flavicornis* KÜSTER, 1846  
*Stenopterus mauritanicus* LUCAS, 1846  
*Stenopterus rufus* LINNAEUS, 1767

**Thranii**

- Thranius multinotatus signatus* SCHWARZER, 1925  
*Thranius variegatus* BATES, 1873

**Tillomorphini**

- Cleroclytus banghaasi* REITTER, 1895  
*Epipedocera atra* PIC, 1937  
*Epipedocera laticollis* GAHAN, 1906  
*Epipedocera rollei* PIC, 1910  
*Epipedocera zona* CHEVROLAT, 1863

**Ystrocerinimi**

- Leptoxenus ibidiiformis* BATES, 1877  
*Ystrocerca festiva* THOMSON, 1861  
*Ystrocerca globosa* (OLIVIER, 1795)

**Lamiinae****Acanthocinini**

- Acanthocinus aedilis* (LINNAEUS, 1758)  
*Acanthocinus carinulatus* (GEBLER, 1833)  
*Acanthocinus griseus* (FABRICIUS, 1792)  
*Acanthocinus reticulatus* (RAZUMOV, 1789)  
*Acanthocinus stillatus* BATES, 1884  
*Exocentrus adspersus* MULSANT, 1846  
*Exocentrus fasciolatus* BATES, 1873  
*Exocentrus galloisi* MATSUSHITA, 1933  
*Exocentrus guttulatus* BATES, 1873  
*Exocentrus lineatus* BATES, 1873  
*Exocentrus lusitanus* (LINNAEUS, 1767)  
*Exocentrus punctipennis* MULSANT & GUILLEBEAU, 1856

- Exocentrus ritae* SAMA, 1985

- Exocentrus stierlini* GANGLBauer, 1883  
*Exocentrus testudineus* MATSUSHITA, 1931  
*Leiopus femoratus* FAIRMAIRE, 1859

- Leiopus nebulosus caucasicus* GANGLBauer, 1887  
*Leiopus nebulosus nebulosus* (LINNAEUS, 1758)  
*Leiopus punctulatus* (PAYKULL, 1800)  
*Rondibilis saperdina* BATES, 1884

**Acanthoderini**

- Aegomorphus clavipes* (SCHRANK, 1781)  
*Callapoecus guttatus* BATES, 1884

**Agapanthiini**

- Agapanthia amurensis* KRAATZ, 1879  
*Agapanthia annularis* (OLIVIER, 1795)  
*Agapanthia asphodeli* (LATREILLE, 1804)  
*Agapanthia cardui* (LINNAEUS, 1767)

**Agapanthia coeruleipennis** FRIVALDSZKY, 1878

- Agapanthia cynarae* (GYLLENHAL, 1817)  
*Agapanthia dahli* (RICHTER, 1821)  
*Agapanthia daurica* GANGLBauer, 1883  
*Agapanthia detrita* KRAATZ, 1882  
*Agapanthia irrorata* (FABRICIUS, 1787)  
*Agapanthia kirbyi* (GYLLENHAL, 1817)  
*Agapanthia lateralis* GANGLBauer, 1884  
*Agapanthia pustulifera* PIC, 1905  
*Agapanthia schurmanni* SAMA, 1979  
*Agapanthia soror* KRAATZ, 1882  
*Agapanthia subchalybaea* REITTER, 1898  
*Agapanthia villosoviridescens* (DE GEER, 1775)  
*Agapanthia violacea* (FABRICIUS, 1775)  
*Agapanthia walteri* REITTER, 1898  
*Agapanthiola leucaspis* (STEVEN, 1817)  
*Aulaconotus pachypezoides* THOMSON, 1864  
*Calamobius filum* (ROSSI, 1790)  
*Eucomatocera vittata* WHITE, 1846  
*Pseudocalamobius japonicus* BATES, 1873  
*Theophilea cylindricollis* PIC, 1895

**Ancylontotini**

- Palimna liturata* BATES, 1884  
*Palimna palimnoidea* (SCHWARZER, 1925)

**Apodasyini**

- Anaesthetis testacea* (FABRICIUS, 1781)  
*Arhopaloscelis bifasciata* (KRAATZ, 1879)  
*Clytosemia pulchra* BATES, 1884  
*Deroplia albida* (BRULLÉ, 1838)  
*Deroplia annulicornis* (MULSANT, 1838)  
*Deroplia genei* (ARAGONA, 1830)  
*Deroplia gertiana* SAMA, 1996  
*Deroplia pilosa* (WOLLASTON, 1862)  
*Deroplia troberti* (MULSANT, 1843)  
*Euseboides matsudai* GRESSITT, 1938  
*Graphidessa venata* BATES, 1884  
*Mimectatina meridiana* (MATSUSHITA, 1933)  
*Oplosia cinerea* (MULSANT, 1839)  
*Penthides flavus* MATSUSHITA, 1933  
*Rhodopina lewisi* (BATES, 1873)  
*Rhopaloscelis maculata* BATES, 1877  
*Rhopaloscelis unifasciata* (BLESSIG, 1873)

**Apomecynini**

- Aimura japonica* BATES, 1873  
*Asaperda agapanthina* BATES, 1873  
*Asaperda rufipes* BATES, 1873  
*Doliops similis* MIWA & MITONO, 1933  
*Microlora ptinoides* BATES, 1873  
*Ropica fuscolaterimaculata* HAYASHI, 1974  
*Sybra baculina* BATES, 1866  
*Sybra flavomaculata* BREUNING, 1939  
*Sybra ordinata* BATES, 1873  
*Sybra subfasciata* (BATES, 1884)  
*Xylariopsis mimica* BATES, 1884

**Astathini***Astathes episcopalis* CHEVROLAT, 1852*Bacchisa fortunei* (THOMSON, 1857)*Bacchisa guerryi* PIC, 1911**Batocerini***Abatocera irregularis* VOLLENHOVEN, 1871*Abatocera leonina* THOMSON, 1865*Apriona cylindrica* THOMSON, 1857*Apriona germari* CHEVROLAT, 1852*Apriona rugicollis* CHEVROLAT, 1852*Batocera aeneonigra* THOMSON, 1859*Batocera andamana* THOMSON, 1878*Batocera calana* PARRY, 1844*Batocera celebiana* THOMSON, 1858*Batocera davidis* DEYROLLE, 1878*Batocera gigas* (DRAPIEZ, 1819)*Batocera hercules* BOISDUVAL, 1835*Batocera horsfieldi* (HOPE, 1839)*Batocera laena* THOMSON, 1858*Batocera lineolata* CHEVROLAT, 1852*Batocera maculata* (SCHÖNHERR, 1817)*Batocera matzdorffii* KRIESCHE, 1915*Batocera nebulosa* BATES, 1877*Batocera numitor* NEWMAN, 1842*Batocera roylei* (HOPE, 1833)*Batocera rubus* LINNAEUS, 1758*Batocera rufomaculata* DE GEER, 1775*Batocera victoriana* THOMSON, 1856*Batocera wallacei* THOMSON, 1858*Rosenbergia mandibularis* RITSEMA, 1881*Rosenbergia weiskei* HELLER, 1902**Ceroplesini***Thysia wallichi* (HOPE, 1831)**Crossotini***Moechotypa diphysis* (PASCOE, 1871)*Moechotypa formosana* (PIC, 1917)**Dorcadionini***Dorcadion abakumovi* THOMSON, 1965*Dorcadion aethiops* (SCOPOLI, 1763)*Dorcadion anatolicum* PIC, 1900*Dorcadion arenarium abruptum* (GERMAR, 1839)*Dorcadion arenarium arenarium* (SCOPOLI, 1763)*Dorcadion atritarse* (PIC, 1931)*Dorcadion bangi* HEYDEN, 1894*Dorcadion beckeri* KRAATZ, 1873*Dorcadion biforme* (KRAATZ, 1893)*Dorcadion bodemeyeri* DANIEL, 1900*Dorcadion breunungi* (HEYROVSKY, 1943)*Dorcadion brunneicolle* KRAATZ, 1873*Dorcadion carinatum* (PALLAS, 1771)*Dorcadion catenatum* WALT, 1838*Dorcadion cinerarium* (FABRICIUS, 1787)*Dorcadion coiffaiti* BREUNING, 1962*Dorcadion crassipes* *crassipes* BALLION, 1878*Dorcadion crassipes validipes* JAKOVLEV, 1906*Dorcadion decipiens* (GERMAR, 1824)*Dorcadion dimidiatum* MOTSCHULSKY, 1838*Dorcadion divisum* (GERMAR, 1839)*Dorcadion elegans* (KRAATZ, 1873)*Dorcadion equestre equestre* (LAXMANN, 1770)*Dorcadion equestre nogelii* FAIRMAIRE, 1866*Dorcadion equestre transsilvanicum* (GANGLBauer, 1884)*Dorcadion etruscum* (ROSSI, 1790)*Dorcadion eugeniae* (GANGLBauer, 1885)*Dorcadion fulvum cervae* (FRIVALDSZKY, 1892)*Dorcadion fulvum fulvum* (SCOPOLI, 1763)*Dorcadion gallipolitanum* (THOMSON, 1867)*Dorcadion gebleri* KRAATZ, 1873*Dorcadion glabrofasciatum* (DANIEL, 1900)*Dorcadion glycyrrhizae glycyrrhizae* (PALLAS, 1773)*Dorcadion glycyrrhizae striatum* GOEZE, 1777*Dorcadion hampei* MULSANT & REY, 1863*Dorcadion heinzi* BREUNING, 1964*Dorcadion hellmanni* GANGLBauer, 1884*Dorcadion holosericeum* (KRYNICKI, 1832)*Dorcadion hybridum hedwigae* (JUREČEK, 1933)*Dorcadion iconiense* DANIEL, 1900*Dorcadion infernale* MULSANT & REY, 1863*Dorcadion jakobsoni* JAKOVLEV, 1899*Dorcadion kozanii* (BREUNING, 1962)*Dorcadion krueperi* (GANGLBauer, 1883)*Dorcadion laeve* FALDERMANN, 1837*Dorcadion lameeri* THERY, 1896*Dorcadion lineatocolle* (KRAATZ, 1873)*Dorcadion ljubetense* (PIC, 1909)*Dorcadion lugubre* (KRAATZ, 1873)*Dorcadion merkli* (GANGLBauer, 1884)*Dorcadion minutum* (KRAATZ, 1873)*Dorcadion multimaculatum* PIC, 1932*Dorcadion murrayi* (KÜSTER, 1847)*Dorcadion mystacinum mystacinum* BALLION, 1878*Dorcadion mystacinum rufidens* JAKOVLEV, 1906*Dorcadion nitidum* MOTSCHULSKY, 1838*Dorcadion niveisparsum* THOMSON, 1865*Dorcadion nivosum* SUVOROV, 1913*Dorcadion olympicum* KRAATZ, 1873*Dorcadion parallelum* KÜSTER, 1847*Dorcadion pararufipenne* BRAUN, 1976*Dorcadion parnassi* (KRAATZ, 1873)*Dorcadion pedestre pedestre* (PODA, 1761)*Dorcadion pedestre kaszabi* BREUNING, 1956*Dorcadion pilosellum* (KRAATZ, 1873)*Dorcadion pilosipenne* BREUNING, 1943*Dorcadion pluto* THOMSON, 1867*Dorcadion preissi* (HEYDEN, 1894)*Dorcadion pseudobithynense* BREUNING, 1962

- Dorcadion pseudopreissi* BREUNING, 1962  
*Dorcadion quadrimaculatum nodicorne* (TOURNIER, 1872)  
*Dorcadion regulare* (PIC, 1931)  
*Dorcadion rufipenne* BREUNING, 1946  
*Dorcadion rufogenum* REITTER, 1895  
*Dorcadion saulcyi* THOMSON, 1865  
*Dorcadion scabricolle* DALMAN, 1817  
*Dorcadion scopolini* (HÄRST, 1784)  
*Dorcadion scrobicollis* KRAATZ, 1873  
*Dorcadion semenovi* GANGLBauer, 1863  
*Dorcadion septemlineatum* (WALTL, 1838)  
*Dorcadion songaricum* GANGLBauer, 1883  
*Dorcadion striolatum* (KRAATZ, 1873)  
*Dorcadion subsericatum* PIC, 1901)  
*Dorcadion tauricum* (WALTL, 1838)  
*Dorcadion tibiale* JAKOVLEV, 1889  
*Dorcadion tschitscherini* JAKOVLEV, 1899  
*Dorcadion turkestanicum* KRAATZ, 1881  
*Dorcadion wagneri* KÜSTER, 1846  
*Dorcadion weyersi* FAIRMAIRE, 1866  
*Eodorcadios carinatum* *blessigi* GANGLBauer, 1884  
*Eodorcadios carinatum* *carinatum* (FABRICIUS, 1781)  
*Eodorcadios chinganicum* (SUVOROV, 1909)  
*Eodorcadios egregium* REITTER, 1897  
*Eodorcadios humerale* GEBLER, 1823  
*Eodorcadios oreadis* REITTER, 1897  
*Eodorcadios virgatum* (MOTSCHULSKY, 1854)  
*Iberodorcadios abulense* (LAUFFER, 1902)  
*Iberodorcadios albicans* (CHEVROLAT, 1862)  
*Iberodorcadios amorii* (MARSEUL, 1856)  
*Iberodorcadios beccerae* (LAUFFER, 1901)  
*Iberodorcadios bolivari* (LAUFFER, 1898)  
*Iberodorcadios brannani* (SCHAUFUSS, 1870)  
*Iberodorcadios circumcinctum* (CHEVROLAT, 1862)  
*Iberodorcadios fuliginator* *fuliginator* (LINNAEUS, 1758)  
*Iberodorcadios fuliginator* *meridionale* (MULSANT, 1839)  
*Iberodorcadios fuliginator* *obessum* (GAUTIER, 1870)  
*Iberodorcadios graellsii* *graellsii* (GRAELLS, 1858)  
*Iberodorcadios graellsii* *longipenne* (CHEVROLAT, 1862)  
*Iberodorcadios heydenii* (KRAATZ, 1870)  
*Iberodorcadios korbi* (GANGLBauer, 1884)  
*Iberodorcadios lorguinii* (FAIRMAIRE, 1855)  
*Iberodorcadios marmottani* (ESCALERA, 1900)  
*Iberodorcadios martinenzii* (PEREZ, 1874)  
*Iberodorcadios molitor* (FABRICIUS, 1775)  
*Iberodorcadios mosqueruelense* (ESCALERA, 1902)  
*Iberodorcadios mus* (ROSENHAUER, 1856)
- Iberodorcadios neilense* *almarzense* (ESCALERA, 1902)  
*Iberodorcadios neilense* *neilense* (ESCALERA, 1902)  
*Iberodorcadios nigrosparsum* VERDUGO, 1993  
*Iberodorcadios perezi* *cercedillanum* (PIC, 1900)  
*Iberodorcadios perezi* *hispanicum* (MULSANT, 1851)  
*Iberodorcadios perezi* *nudipenne* (ESCALERA, 1908)  
*Iberodorcadios segovianum* *dejeanii* (CHEVROLAT, 1862)  
*Iberodorcadios segovianum* *segovianum* (CHEVROLAT, 1862)  
*Iberodorcadios seguntianum* (K. DANIEL & J. DANIEL, 1898)  
*Iberodorcadios seoanei* *kricheldorfii* (PIC, 1910)  
*Iberodorcadios seoanei* *seoanei* (GRAELLS, 1858)  
*Iberodorcadios spinolae* *caunense* (LAUFFER, 1910)  
*Iberodorcadios spinolae* *spinolae* (DALMAN, 1817)  
*Iberodorcadios terolense* (ESCALERA, 1902)  
*Iberodorcadios uhagonii* (PEREZ, 1868)  
*Iberodorcadios zarcoi* (SCHRAMM, 1910)  
*Neodorcadios bilineatum* (GERMAR, 1824)  
*Neodorcadios fallax* (KRAATZ, 1873)  
*Neodorcadios laqueatum* (WALTL, 1838)  
*Neodorcadios orientale* (GANGLBauer, 1884)  
*Neodorcadios virleti* (BRULLÉ, 1832)  
*Politodorcadios politum* (DALMAN, 1823)  
*Politodorcadios ribbei* KRAATZ, 1878
- Dorcaschematini**
- Olenecamptus cretaceus* *cretaceus* BATES, 1873  
*Olenecamptus cretaceus* *marginatus* SCHWARZER, 1925  
*Olenecamptus formosanus* PIC, 1914  
*Olenecamptus taiwanus* DILLON & DILLON, 1948
- Gleneini**
- Glenea acuta* FABRICIUS, 1801  
*Glenea adelpha* THOMSON, 1858  
*Glenea albocingulata* AURIVILLIUS, 1926  
*Glenea albofasciata* GAHAN, 1897  
*Glenea albolineata* THOMSON, 1860  
*Glenea algebraica* THOMSON, 1857  
*Glenea aluensis* GAHAN, 1897  
*Glenea angerona* THOMSON, 1865  
*Glenea anna* THOMSON, 1879  
*Glenea annulicornis* SCHWARZER, 1925  
*Glenea anticepunctata* *obsoletepunctata* THOMSON, 1857  
*Glenea anticepunctata* THOMSON, 1857  
*Glenea apicalis* CHEVROLAT, 1857  
*Glenea arcuata* CHEVROLAT, 1858  
*Glenea arouensis* THOMSON, 1858

- Glenea atriceps* AURIVILLIUS, 1911  
*Glenea astarte* THOMSON, 1865  
*Glenea beatrix* THOMSON, 1879  
*Glenea beccarii* GAHAN, 1907  
*Glenea bellona* THOMSON, 1879  
*Glenea blanda* PASCOE, 1858  
*Glenea buqueti* THOMSON, 1865  
*Glenea camilla* PASCOE, 1867  
*Glenea cantor* FABRICIUS, 1787  
*Glenea caraga* HELLER, 1921  
*Glenea cardinalis* THOMSON, 1861  
*Glenea cassandra* GAHAN, 1907  
*Glenea celia* PASCOE, 1888  
*Glenea ceylonica* BREUNING, 1958  
*Glenea chlorospila* GAHAN, 1897  
*Glenea chrysomaculata* SCHWARZER, 1925  
*Glenea cinerea* THOMSON, 1865  
*Glenea citrina* THOMSON, 1865  
*Glenea concinna* NEWMAN, 1842  
*Glenea coris* PASCOE, 1867  
*Glenea cyanipennis* THOMSON, 1858  
*Glenea diana* THOMSON, 1865  
*Glenea dimidiata* FABRICIUS, 1801  
*Glenea distinguenda* GAHAN, 1889  
*Glenea diversimembris* PIC, 1926  
*Glenea dorsaloidea* BREUNING, 1856  
*Glenea elegans* (OLIVIER, 1795)  
*Glenea elegantissima* BREUNING, 1956  
*Glenea exculta* NEWMAN, 1842  
*Glenea extensa* PASCOE, 1858  
*Glenea extrema* SHARP, 1900  
*Glenea fainanensis* PIC, 1916  
*Glenea fasciata* FABRICIUS, 1781  
*Glenea fatalis* PASCOE, 1867  
*Glenea fissicauda* AURIVILLIUS, 1926  
*Glenea flava* JORDAN, 1895  
*Glenea formosana holatripes* BREUNING, 1953  
*Glenea fulvomaculata* THOMSON, 1860  
*Glenea funerula* THOMSON, 1857  
*Glenea gabonica* THOMSON, 1858  
*Glenea galathea* THOMSON, 1865  
*Glenea giraffa* DALMAN, 1817  
*Glenea glauca* NEWMAN, 1842  
*Glenea grisea* THOMSON, 1860  
*Glenea grossepunctata* BREUNING, 1958  
*Glenea hasselti* RITSEMA, 1892  
*Glenea heptagona* THOMSON, 1860  
*Glenea homonospila* THOMSON, 1865  
*Glenea indiana* (THOMSON, 1857)  
*Glenea iwasaki* KANO, 1933  
*Glenea jordani* LEPESME & BREUNING, 1952  
*Glenea juno* THOMSON, 1865  
*Glenea kannegieteri* BREUNING, 1958  
*Glenea keili* RITSEMA, 1897  
*Glenea kraatzii* THOMSON, 1865  
*Glenea labuanensis* BREUNING, 1956  
*Glenea lacteomaculata* SCHWARZER, 1925  
*Glenea latevittata* AURIVILLIUS, 1920  
*Glenea lecta* GAHAN, 1889  
*Glenea lefebvrei* GUÉRIN-MÉNEVILLE, 1831  
*Glenea lepidia* NEWMAN, 1842  
*Glenea lineata* GAHAN, 1897  
*Glenea lineatocollis* THOMSON, 1860  
*Glenea lycoris* THOMSON, 1865  
*Glenea manto* PASCOE, 1866  
*Glenea mathematica* THOMSON, 1857  
*Glenea maunieri* PIC, 1926  
*Glenea melia* PASCOE, 1867  
*Glenea melissa* PASCOE, 1867  
*Glenea myrsia* PASCOE, 1867  
*Glenea nicanor* PASCOE, 1867  
*Glenea nigromaculata* THOMSON, 1865  
*Glenea nigrotibialis* BREUNING, 1950  
*Glenea novemguttata* GUÉRIN-MÉNEVILLE, 1831  
*Glenea numerifera* THOMSON, 1865  
*Glenea nympha* THOMSON, 1865  
*Glenea ochraceovittata* THOMSON, 1865  
*Glenea oreophila* BREUNING, 1958  
*Glenea pascoei* AURIVILLIUS, 1923  
*Glenea paulina* GAHAN, 1907  
*Glenea pici* AURIVILLIUS, 1920  
*Glenea plagiata* GARDNER, 1930  
*Glenea porphyrio* PASCOE, 1866  
*Glenea posticata* GAHAN, 1894  
*Glenea proserpina* THOMSON, 1865  
*Glenea proxima* LAMEERE, 1893  
*Glenea pseudocolobothoeoides* BREUNING, 1950  
*Glenea puella* CHEVROLAT, 1858  
*Glenea pulchra* AURIVILLIUS, 1926  
*Glenea pustulata* THOMSON, 1865  
*Glenea quadrinotata* GUÉRIN-MÉNEVILLE, 1843  
*Glenea quinquelineata* CHEVROLAT, 1855  
*Glenea relicta* PASCOE, 1858  
*Glenea rubricollis* HOPE, 1842  
*Glenea sanctaemariae* THOMSON, 1857  
*Glenea scalaris* THOMSON, 1865  
*Glenea signatifrons* GAHAN, 1897  
*Glenea silhetica* PLAVILSTSHIKOV, 1927  
*Glenea sophronia* PASCOE, 1867  
*Glenea speciosa* GAHAN, 1889  
*Glenea strigata* THOMSON, 1860  
*Glenea suada* GAHAN, 1907  
*Glenea submorosa* BREUNING, 1952  
*Glenea sumatrana* BREUNING, 1950  
*Glenea suturalis* JORDAN, 1894  
*Glenea tenuilineata* THOMSON, 1879  
*Glenea timoriensis* JORDAN, 1894  
*Glenea tonkinea* AURIVILLIUS, 1926

- Glenea tritoleuca* AURIVILLIUS, 1923  
*Glenea trivittata* AURIVILLIUS, 1911  
*Glenea truncatipennis* BREUNING, 1950  
*Glenea venus celebensis* RITSEMA, 1892  
*Glenea venus venus* THOMSON, 1865  
*Glenea venusta* GUÉRIN-MÉNEVILLE, 1831  
*Glenea versuta* NEWMAN, 1842  
*Glenea vigintiduomaculata* THOMSON, 1858  
*Glenea virens* AURIVILLIUS, 1925  
*Glenea voluptuosa* THOMSON, 1860  
*Glenea wiedenfeldi* AURIVILLIUS, 1911
- Gnomini**
- Imantocera penicillata* (HOPE, 1831)
- Homonoceini**
- Bumetopia sakishimana* HAYASHI, 1966
- Lamiini**
- Aethalodes verrucosus formosanus* KRIESCHE, 1924  
*Aristobia approximatrix* THOMSON, 1865  
*Aristobia hispida* (SAUNDERS, 1853)  
*Aristobia horridula* (HOPE, 1831)  
*Aristobia reticulatrix* (FABRICIUS, 1781)  
*Aristobia voeti* THOMSON, 1878  
*Cremonsterna carissima* PASCOE, 1857  
*Epepeotes ambigenus formosanus* GRESSITT, 1951  
*Gerania bosci* (FABRICIUS, 1801)  
*Herophila fairmairei* (THOMSON, 1857)  
*Herophila tristis* (LINNAEUS, 1767)  
*Lamia textor* (LINNAEUS, 1758)  
*Lamiomimus gottschei* KOLBE, 1886  
*Morimus asper* (SULZER, 1776)  
*Morimus asper funereus* MULSANT, 1862  
*Morimus verecundus* (FALDERMANN, 1836)  
*Paraleprodera diophthalma* (PASCOE, 1857)  
*Paraleprodera itzingeri* BREUNING, 1935  
*Psacothea hilaris hilaris* (PASCOE, 1857)
- Mesosini**
- Agelasta perplexa* PASCOE, 1858  
*Cacia watantakkuni* KANO, 1933  
*Coptops japonicus* BREUNING, 1936  
*Falsomesosella gracilior* BATES, 1884  
*Mesoereis koshunensis* MATSUSHITA, 1933  
*Mesosa cibrata* BATES, 1884  
*Mesosa curculionoides* (LINNAEUS, 1761)  
*Mesosa hirsuta* BATES, 1884  
*Mesosa japonica* BATES, 1873  
*Mesosa longipennis* BATES, 1873  
*Mesosa myops* (DALMAN, 1817)  
*Mesosa nebulosa* (FABRICIUS, 1781)  
*Mesosa senilis* BATES, 1884
- Monochamini**
- Agnoderus gnomooides* THOMSON, 1864  
*Annamanum albisparsum* (GAHAN, 1888)  
*Anoplophora albopicta* MATSUSHITA, 1933  
*Anoplophora chinensis* FORSTER, 1771
- Anoplophora glabripennis* MOTSCHULSKY, 1854  
*Anoplophora horsfieldii* (HOPE, 1842)  
*Anoplophora lurida* PASCOE, 1856  
*Anoplophora malasiaca* THOMSON, 1865  
*Cereopsius praetorius* (ERICHSON, 1834)  
*Eupromus ruber* (DALMAN, 1817)  
*Mecynippus pubicornis* BATES, 1884  
*Monochamus alternatus* HOPE, 1842  
*Monochamus galloprovincialis* (OLIVIER, 1795)  
*Monochamus grandis* WATERHOUSE, 1881  
*Monochamus guerryi* PIC, 1903  
*Monochamus nitens* (BATES, 1884)  
*Monochamus saltuarius* (GEBLER, 1830)  
*Monochamus sartor sartor* (FABRICIUS, 1787)  
*Monochamus sartor urussovi* (FISCHER VON WALDHEIM, 1806)  
*Monochamus subfasciatus shikokensis* BREUNING, 1956  
*Monochamus subfasciatus subfasciatus* (BATES, 1873)  
*Monochamus sutor* (LINNAEUS, 1758)  
*Pseudomeges marmoratus* WESTWOOD, 1848  
*Uraecha angusta* (PASCOE, 1857)  
*Uraecha bimaculata* THOMSON, 1864  
*Xenicotela pardalina* (BATES, 1884)  
*Xenohammus bimaculatus* SCHWARZER, 1931
- Morimopsini**
- Dolophrades terrenus* BATES, 1884
- Parmenini**
- Lepromoris gibba* (BRULLÉ, 1839)  
*Parmena balteus* (LINNAEUS, 1767)  
*Parmena pubescens* (DALMAN, 1817)  
*Parmenopsis caucasica* LEDER, 1880
- Petrognathini**
- Ithocritus ruber* HOPE, 1839  
*Morimopsis lacrymans* (THOMSON, 1864)
- Phrissomini**
- Mesechthistatus binodosus* (WATERHOUSE, 1881)  
*Mesechthistatus furcifer furcifer* (BATES, 1884)  
*Mesechthistatus furcifer meridionalis* (HAYASHI, 1951)  
*Parechthistatus gibber gibber* (BATES, 1873)  
*Parechthistatus gibber grossus* (BATES, 1884)  
*Parechthistatus gibber nakanei* MIYAKE, 1980  
*Parechthistatus gibber pseudogrossus* MIYAKE, 1980
- Phytoeciini**
- Conizonia bodoani* PIC, 1912  
*Conizonia detrita* (FABRICIUS, 1792)  
*Conizonia guerini* BRÉME, 1840  
*Conizonia warnieri* LUCAS, 1847  
*Dirphya imitans* (BREUNING, 1956)  
*Dyenmonus trivittatus* AURIVILLIUS, 1914  
*Epiglenea comes* (BATES, 1884)

- Gracilinitocris gracilenta* KOLBE, 1893  
*Linda atricornis* PIC, 1924  
*Linda femorata* CHEVROLAT, 1852  
*Linda fraterna* CHEVROLAT, 1852  
*Linda nigroscutata* (FAIRMAIRE, 1902)  
*Mallosia graeca* (STURM, 1843)  
*Mallosia hermina* REITTER, 1890  
*Mallosia imperatrix* ABEILLE DE PERRIN, 1885  
*Mallosia mirabilis* FALDERMANN, 1837  
*Mallotus scovitzii* (FALDERMANN, 1837)  
*Mallosia tristis* REITTER, 1888  
*Malloxiola regina* (HEYDEN, 1887)  
*Mecas cineracea* CASEY, 1913  
*Mecas obereoides* BATES, 1881  
*Micromandibularia rufa* BREUNING, 1954  
*Musaria wachanri* MULSANT, 1851  
*Mystrocnemis bicolor* AURIVILLIUS, 1914  
*Neonitocris modesta* FABRICIUS, 1781  
*Neonitocris princeps* JORDAN, 1894  
*Nitakeris adorata* (THOMSON, 1858)  
*Nitakeris nigricornis* (OLIVIER, 1795)  
*Nitakeris similis* (GAHAN, 1893)  
*Nitocris lucasii* (THOMSON, 1858)  
*Nupserha antennalis* JORDAN, 1894  
*Nupserha apicalis* FÄHRAEUS, 1872  
*Nupserha apicata* FAIRMAIRE, 1891  
*Nupserha bidentata* FABRICIUS, 1792  
*Nupserha convergens* AURIVILLIUS, 1914  
*Nupserha deusta* (DALMAN, 1817)  
*Nupserha elongata* (KOLBE, 1893)  
*Nupserha fasciata* AURIVILLIUS, 1907  
*Nupserha fricator* DALMAN, 1817  
*Nupserha grisea* AURIVILLIUS, 1914  
*Nupserha homeyeri* HAROLD, 1879  
*Nupserha madurensis* PIC, 1926  
*Nupserha marginella* (BATES, 1873)  
*Nupserha nigriceps* GAHAN, 1894  
*Nupserha nigricornis* FISHER, 1935  
*Nupserha nyassensis* AURIVILLIUS, 1914  
*Nupserha quadrioculata* THUNBERG, 1787  
*Nupserha sexpunctata* CHEVROLAT, 1857  
*Nupserha strigicollis* FAIRMAIRE, 1893  
*Nupserha taliana* PIC, 1916  
*Nupserha tricolor* AURIVILLIUS, 1920  
*Nupserha ustulata* ERICHSON, 1834  
*Nupserha vanrooni* AURIVILLIUS, 1916  
*Nupserha variabilis* GAHAN, 1894  
*Nupserha vitticollis* (KOLBE, 1893)  
*Nupserha yunnanensis* BREUNING, 1960  
*Oberea balineae* HELLER, 1915  
*Oberea birmanica* GAHAN, 1894  
*Oberea ceylonica* AURIVILLIUS, 1921  
*Oberea compta* PASCOE, 1867  
*Oberea consentanea* PASCOE, 1867  
*Oberea curialis* PASCOE, 1866  
*Oberea erythrocephala* (SCHRANK, 1776)  
*Oberea erythrostoma* HELLER, 1915  
*Oberea euphorbiae* (GERMAR, 1813)  
*Oberea ferruginea* (THUNBERG, 1787)  
*Oberea formosana* PIC, 1911  
*Oberea fuscipennis* (CHEVROLAT, 1852)  
*Oberea hebecens* BATES, 1873  
*Oberea inclusa* PASCOE, 1858  
*Oberea japonica* (THUNBERG, 1787)  
*Oberea jordani* AURIVILLIUS, 1923  
*Oberea keyensis* BREUNING, 1962  
*Oberea lacana* PIC, 1923  
*Oberea laetifica* PASCOE, 1867  
*Oberea linearis* (LINNAEUS, 1761)  
*Oberea lutea* (THUNBERG, 1787)  
*Oberea maculicollis* LUCAS, 1842  
*Oberea mixta* BATES, 1873  
*Oberea mutata* PASCOE, 1867  
*Oberea nefasta* PASCOE, 1867  
*Oberea nigritrix* BATES, 1873  
*Oberea nigricincta* AURIVILLIUS, 1907  
*Oberea nigrolineata* AURIVILLIUS, 1916  
*Oberea ocellata* HALDEMAN, 1847  
*Oberea oculata* (LINNAEUS, 1758)  
*Oberea ophidiana* PASCOE, 1858  
*Oberea pedemontana* CHEVROLAT, 1856  
*Oberea posticata* GAHAN, 1894  
*Oberea pseudolacana* BREUNING, 1956  
*Oberea pupillata* (GYLLENHAL, 1817)  
*Oberea resili* DEMELT, 1963  
*Oberea sansibarica* HAROLD, 1880  
*Oberea tricolor* AURIVILLIUS, 1924  
*Oberea tripunctata* (SWEDERUS, 1787)  
*Oberea vittata* BLESSIG, 1873  
*Oberea walkeri* GAHAN, 1894  
*Obereopsis atripennis* BREUNING, 1955  
*Obereopsis kankauensis* SCHWARZER, 1925  
*Obereopsis leptissima* BREUNING, 1957  
*Obereopsis luteicornis* BREUNING, 1957  
*Obereopsis maculithorax* MATSUSHITA, 1933  
*Obereopsis masaica* BREUNING, 1950  
*Obereopsis modica* GAHAN, 1894  
*Obereopsis nigriceps* BREUNING, 1957  
*Obereopsis obscuritarsis* CHEVROLAT, 1855  
*Obereopsis obsoleta* CHEVROLAT, 1858  
*Obereopsis pseudocapensis* BREUNING, 1955  
*Obereopsis quadrinotaticollis* BREUNING, 1949  
*Obereopsis variipes* CHEVROLAT, 1858  
*Oxylia argentata* MÉNÉTRIÉS, 1832  
*Oxylia duponcheli* (BRULLÉ, 1832)  
*Phytoecia affinis* (HARRER, 1784)  
*Phytoecia algerica* DESBROCHERS DES LOGES, 1870  
*Phytoecia angusta* AURIVILLIUS, 1914

- Phytoecia argus* (FRÖLICH, 1793)  
*Phytoecia bohemani* PASCOE, 1858  
*Phytoecia caerulea* (SCOPOLI, 1772)  
*Phytoecia cinerascens* (KRAATZ, 1882)  
*Phytoecia coeruleascens* (SCOPOLI, 1763)  
*Phytoecia cylindrica* (LINNAEUS, 1758)  
*Phytoecia flavescentis* (BRULLÉ, 1832)  
*Phytoecia guilleti* PIC, 1906  
*Phytoecia hirsutula* (FRÖLICH, 1793)  
*Phytoecia humeralis* (WALTL, 1838)  
*Phytoecia icterica* (SCHALLER, 1783)  
*Phytoecia larvata* PASCOE, 1871  
*Phytoecia longitarsis* REITTER, 1911  
*Phytoecia melanocephala* (FABRICIUS, 1787)  
*Phytoecia merkli* (GANGLBAUER, 1884)  
*Phytoecia millefolii* (ADAMS, 1817)  
*Phytoecia molybdaena* (DALMAN, 1817)  
*Phytoecia nigricornis* (FABRICIUS, 1781)  
*Phytoecia ochraceipennis* KRAATZ, 1882  
*Phytoecia pubescens* PIC, 1895  
*Phytoecia puncticollis* FALDERMANN, 1837  
*Phytoecia puncticollis stygia* GANGLBAUER, 1884  
*Phytoecia pustulata* (SCHRANK, 1776)  
*Phytoecia rubropunctata* (GOEZE, 1777)  
*Phytoecia rufipes* (OLIVIER, 1795)  
*Phytoecia rufiventris* GAUTIER, 1870  
*Phytoecia scutellata* (FABRICIUS, 1792)  
*Phytoecia tigrina* (MULSANT, 1851)  
*Phytoecia tirelli* (LUIGIONII, 1913)  
*Phytoecia uncinata* REDTENBACHER, 1842  
*Phytoecia virgula* (CHARPENTIER, 1825)  
*Phytoecia vittipennis* REICHE, 1877  
*Phytoecia vulneris* AURIVILLIUS, 1923  
*Poecilobacris militaris* FAIRMAIRE, 1887  
*Pseudolepisanis analis* (FABRICIUS, 1781)  
*Pseudolepisanis nigriventris* (KOLBE, 1893)  
*Pseudoconizonia basalis* GAHAN, 1890  
*Pteromallosia albolineata* (HOPE, 1852)  
*Schoenionta necydaloidea* PASCOE, 1867  
*Stibara humeralis* THOMSON, 1865  
*Stibara rufina* PASCOE, 1858  
*Stibara tetraspilota* HOPE, 1840  
*Stibara tricolor* FABRICIUS, 1793  
**Pogonocherini**  
*Pogonocherus anatolicus* K. DANIEL & J. DANIEL, 1898  
*Pogonocherus caroli* MULSANT, 1862  
*Pogonocherus decoratus* FAIRMAIRE, 1855  
*Pogonocherus dimidiatus* BLESSIG, 1873  
*Pogonocherus eugeniae* GANGLBAUER, 1891  
*Pogonocherus fasciculatus* (DE GEER, 1775)  
*Pogonocherus hispidulus* (PILLER & MITTERPACHER, 1783)  
*Pogonocherus hispidus* (LINNAEUS, 1758)  
*Pogonocherus neuhausi* MÜLLER, 1916  
*Pogonocherus ovatus* (GOEZE, 1777)  
*Pogonocherus perroudi* MULSANT, 1839  
*Pogonocherus sieversi* GANGLBAUER, 1886  
**Pterophili**  
*Abryna coenosa* NEWMAN, 1842  
*Albana m-griseum* (MULSANT, 1846)  
*Desisa variabilis* (SCHWARZER, 1925)  
*Grammoechus bipartitus* RITSEMA, 1890  
*Mesosella simiola* BATES, 1884  
*Niphona furcata* (BATES, 1873)  
*Niphona picticornis* MULSANT, 1839  
*Pterolophia angusta* (BATES, 1873)  
*Pterolophia annulata* (CHEVROLAT, 1845)  
*Pterolophia caudata* (BATES, 1873)  
*Pterolophia jugosa* (BATES, 1873)  
*Pterolophia leiopodina* (BATES, 1873)  
*Pterolophia rigida* (BATES, 1873)  
*Pterolophia zebra* (PASCOE, 1858)  
*Pterolophia zonata* (BATES, 1873)  
*Sthenias franciscanus* THOMSON, 1865  
**Saperdini**  
*Cagosima sanguinolenta* THOMSON, 1864  
*Callundine lacordairei* THOMSON, 1879  
*Entelopes griseipennis* BREUNING, 1954  
*Eumecocera argyrosticta* (BATES, 1884)  
*Eumecocera gleneoides* (GRESSITT, 1935)  
*Eumecocera impustulata* (MOT Schulsky, 1860)  
*Eumecocera minamii* MAKIHARA, 1984  
*Eumecocera trivittata* (BREUNING, 1947)  
*Eumecocera unicolor* KANO, 1933  
*Eutetrapha sedecimpunctata* MOT Schulsky, 1860  
*Eutetrapha chryschloris* (BATES, 1879)  
*Eutetrapha metallescens* MOT Schulsky, 1860  
*Eutetrapha ocelota* (BATES, 1873)  
*Menesia bipunctata* (ZOUBKOFF, 1829)  
*Menesia discimaculata* AURIVILLIUS, 1924  
*Menesia flavotecta* HEYDEN, 1886  
*Menesia sulphurata* (GEBLER, 1825)  
*Niponostenostola nipponensis* (PIC, 1901)  
*Niponostenostola nipponensis pterocaryai* (HAYASHI, 1960)  
*Ossonis clytomima* PASCOE, 1867  
*Paraeutetrapha eximia* (BATES, 1884)  
*Paraeutetrapha simulans* (BATES, 1873)  
*Paraglenea fortunei* (SAUNDERS, 1853)  
*Paraglenea swinhonis* BATES, 1866  
*Paramenesia kasugensis* (SEKI & KOBAYASHI, 1935)  
*Paramenesia theaphia* (BATES, 1884)  
*Saperda balsamifera* MOT Schulsky, 1860  
*Saperda candida* (FABRICIUS, 1787)  
*Saperda carcharias* (LINNAEUS, 1758)


- Saperda fayi* BLAND, 1863  
*Saperda inornata* SAY, 1823  
*Saperda interrupta* GEBLER, 1825  
*Saperda lateralis* (FABRICIUS, 1775)  
*Saperda octopunctata* (SCOPOLI, 1772)  
*Saperda perforata* (PALLAS, 1773)  
*Saperda populnea* (LINNAEUS, 1758)  
*Saperda punctata* (LINNAEUS, 1767)  
*Saperda puncticollis* SAY, 1824  
*Saperda scalaris* (LINNAEUS, 1758)  
*Saperda similis* LAICHARTING, 1784  
*Saperda tetrastigma* BATES, 1879  
*Saperda tridentata* OLIVIER, 1795  
*Saperda vestita* (SAY, 1824)  
*Serixia andamanica* GARDNER, 1930  
*Serixia aurulenta* PASCOE, 1867  
*Serixia javanica* BREUNING, 1950  
*Serixia sedata* PASCOE, 1862  
*Stenostola dubia* (LAICHARTING, 1784)  
*Stenostola ferrea* (SCHRANK, 1776)  
*Thyestilla gebleri* (FALDERMANN, 1835)
- Tetraopini**
- Tetrops hauseri* REITTER, 1897  
*Tetrops praestus* (LINNAEUS, 1758)  
*Tetrops starkii* (CHEVROLAT, 1859)
- Tmesisternini**
- Sphingnotus mirabilis* (BOISDUVAL, 1835)
- Xenoleini**
- Hirtaeschopalaea nubila* MATSUSHITA, 1933
- Lepturinae**
- Encyclopini**
- Encyclops olivaceus* BATES, 1884
- Enoploderini**
- Enoploderes sanguineum* FALDERMANN, 1937
- Lepturini**
- Alosterna chalybeella* (BATES, 1884)  
*Alosterna ingrica* (BAECKMANN, 1902)  
*Alosterna tabacicolor* (DE GEER, 1775)  
*Anastrangalia dubia* (SCOPOLI, 1763)  
*Anastrangalia reyi* (HEYDEN, 1889)  
*Anastrangalia sanguinolenta* (LINNAEUS, 1761)  
*Anastrangalia scotodes* BATES, 1873  
*Anastrangalia sequensi* REITTER, 1898  
*Anoplodera excavata* (BATES, 1884)  
*Anoplodera rufipes* (SCHALLER, 1783)  
*Anoplodera sexguttata* (FABRICIUS, 1775)  
*Anoploderomorpha cyanea* (GEBLER, 1832)  
*Anoploderomorpha monticola* NAKANE, 1955  
*Corennys sanguinea* KANO, 1933  
*Corennys sericata* BATES, 1884  
*Cormumutila lineata* (LETZNER, 1844)  
*Dokhtouroffia nebulosa* GEBLER, 1845  
*Ephies japonicus* NAKANE & OHBAYASHI, 1961  
*Etorofus pubescens* (FABRICIUS, 1787)
- Etorofus vicarius* BATES, 1884  
*Eustrangalis anticereducta* HAYASHI, 1958  
*Eustrangalis distenoides* BATES, 1884  
*Idiostrangalia contracta* (BATES, 1884)  
*Ichnostrangalis davidi* (PIC, 1934)  
*Japanostrangalia dentatipennis* (PIC, 1901)  
*Judolia sexmaculata* (LINNAEUS, 1758)  
*Judolia kyushuensis* KUSAKABE & OHBAYASHI, 1992  
*Kanekoa azumensis* MATSUSHITA & TAMANUKI, 1942  
*Kanoa granulata* BATES, 1884  
*Leptostrangalia hosohana* (OHBAYASHI, 1952)  
*Leptura aethiops* PODA, 1761  
*Leptura annularis annularis* FABRICIUS, 1801  
*Leptura annularis mimica* BATES, 1884  
*Leptura aurulenta* FABRICIUS, 1792  
*Leptura dimorpha* BATES, 1873  
*Leptura duodecimguttata* FABRICIUS, 1801  
*Leptura latipennis* MATSUSHITA, 1933  
*Leptura modicenotata* PIC, 1901  
*Leptura ochraceofasciata* *ochraceofasciata* MOTSCHULSKY, 1861  
*Leptura ochraceofasciata ochrotela* BATES, 1873  
*Leptura quadrifasciata* LINNAEUS, 1758  
*Leptura regalis* BATES, 1884  
*Leptura subtilis* BATES, 1884  
*Leptura thoracica* CREUTZER, 1799  
*Lepturalia nigripes* DE GEER, 1775  
*Lepturobosca virens* (LINNAEUS, 1758)  
*Mimostrangalia dulcis* (BATES, 1884)  
*Nivellia sanguinosa* (GYLLENHAL, 1827)  
*Nustera distigma* (CHARPENTIER, 1825)  
*Oedecnema gebleri* GANGLBAUER, 1889  
*Ohbayashia nigromarginata* HAYASHI, 1953  
*Pachytodes cerambyciformis* (SCHRANK, 1781)  
*Pachytodes cometes* BATES, 1884  
*Pachytodes erraticus* (DALMAN, 1817)  
*Pachytodes longipes* GEBLER, 1832  
*Paracorymbia excisipes* (K. DANIEL & J. DANIEL, 1891)  
*Paracorymbia strigulata* (GERMAR, 1824)  
*Paracorymbia tonsa* K. DANIEL & J. DANIEL, 1891  
*Paranaspia anaspoides* (BATES, 1873)  
*Parastrangalis lesnei* PIC, 1901  
*Parastrangalis nymphula* (BATES, 1884)  
*Parastrangalis tenuicornis* MOTSCHULSKY, 1862  
*Pedostrangalia emmipoda* (MULSANT, 1863)  
*Pedostrangalia femoralis* MOTSCHULSKY, 1860  
*Pedostrangalia revestita* (LINNAEUS, 1767)  
*Pedostrangalia verticalis* (GERMAR, 1822)  
*Pseudalosterna misella* (BATES, 1884)  
*Pseudovadonia livida* (FABRICIUS, 1776)  
*Pyrrhona laeticolor* BATES, 1884

- Rutpela maculata* (PODA, 1761)  
*Stenurella approximans* (ROSENHAUER, 1856)  
*Stenurella bifasciata* (MÜLLER, 1776)  
*Stenurella jaegeri* HUMMEL, 1825  
*Stenurella melanura* (LINNAEUS, 1758)  
*Stenurella nigra* (LINNAEUS, 1758)  
*Stenurella novercalis* REITTER, 1901  
*Stenurella septempunctata* (FABRICIUS, 1792)  
*Stictoleptura cardinalis* (K. DANIEL & J. DANIEL, 1899)  
*Stictoleptura cordigera* (FUESSLY, 1775)  
*Stictoleptura deyrollei* (PIC, 1895)  
*Stictoleptura dichroa* BLANCHARD, 1871  
*Stictoleptura erythroptera* (HAGENBACH, 1822)  
*Stictoleptura fontenayi* (MULSANT, 1839)  
*Stictoleptura hybrida* (REY, 1885)  
*Stictoleptura igai* (TAMANUKI, 1942)  
*Stictoleptura maculicornis* (DE GEER, 1775)  
*Stictoleptura oblongomaculata* (BUQUET, 1840)  
*Stictoleptura pallens* (BRULLÉ, 1832)  
*Stictoleptura palmi* (DEMELT, 1971)  
*Stictoleptura picticornis* (REITTER, 1885)  
*Stictoleptura pyrrha* (BATES, 1884)  
*Stictoleptura rubra* (LINNAEUS, 1758)  
*Stictoleptura rufa* (BRULLÉ, 1832)  
*Stictoleptura scutellata* (FABRICIUS, 1781)  
*Stictoleptura tesserula* (CHARPENTIER, 1825)  
*Stictoleptura trisignata* (FAIRMAIRE, 1852)  
*Stictoleptura variicornis* (DALMAN, 1817)  
*Strangalia attenuata* (LINNAEUS, 1758)  
*Strangalia fortunei* PASCOE, 1858  
*Strangalia koyaensis* MATSUSHITA, 1933  
*Strangalia maculata* PODA, 1761  
*Strangalia takeuchii* MATSUSHITA & TAMANUKI, 1935  
*Strangalomorpha tenuis* SOLSKY, 1873  
*Vadonia bisignata* (BRULLÉ, 1832)  
*Vadonia imitatrix* K. DANIEL & J. DANIEL, 1891  
*Vadonia moesiaca* K. DANIEL & J. DANIEL, 1891  
*Vadonia steveni* (SPERCK, 1835)  
*Vadonia unipunctata* (FABRICIUS, 1787)  
*Xestoleptura rufiventris* GEBLER, 1830
- Oxymirini**
- Oxymirus cursor* (LINNAEUS, 1758)  
*Oxymirus mirabilis* (MOTSCHULSKY, 1838)
- Rhagiini**
- Acmaeops angusticollis* GEBLER, 1833  
*Acmaeops marginatus* FABRICIUS, 1781  
*Acmaeops septentrionis* THOMSON, 1866  
*Acmaeops smaragdulus* FABRICIUS, 1793  
*Akimerus schaefferi* (LAICHARTING, 1784)  
*Brachyta bifasciata* (OLIVIER, 1792)  
*Brachyta interrogationis* (LINNAEUS, 1758)  
*Brachyta punctata* (FALDERMANN, 1833)
- Brachyta variabilis* (GEBLER, 1817)  
*Cortodera alpina* MÉNÉTRIÉS, 1832  
*Cortodera femorata* (FABRICIUS, 1787)  
*Cortodera flavimana* (WALTHER, 1838)  
*Cortodera holosericea* (FABRICIUS, 1801)  
*Cortodera humeralis* (SCHALLER, 1783)  
*Cortodera umbripennis* REITTER, 1890  
*Cortodera villosa* HEYDEN, 1876  
*Dinoptera anthracina* MANNERHEIM, 1849  
*Dinoptera collaris* (LINNAEUS, 1758)  
*Dinoptera minuta* GEBLER, 1832  
*Evodinus borealis* (GYLLENHAL, 1827)  
*Evodinus clathratus* (FABRICIUS, 1792)  
*Fallacia elegans* FALDERMANN, 1837  
*Gaurotes atripennis* (MATSUSHITA, 1933)  
*Gaurotes virginea* (LINNAEUS, 1758)  
*Gnathacmaeops pratensis* (LAICHARTING, 1784)  
*Gnathacmaeops brachypterus* K. DANIEL & J. DANIEL, 1899  
*Grammoptera abdominalis* (STEPHENS, 1831)  
*Grammoptera auricollis* MULSANT & REY, 1863  
*Grammoptera baudii* SAMA, 1985  
*Grammoptera ruficornis* (FABRICIUS, 1781)  
*Grammoptera ustulata* (SCHALLER, 1783)  
*Japanocorus caeruleipennis* BATES, 1873  
*Lemula decipiens* BATES, 1884  
*Lemula nishimurai* SEKI, 1944  
*Lemula rufithorax* PIC, 1901  
*Pachyta bicuneata* MOTSCHULSKY, 1860  
*Pachyta erebia* BATES, 1884  
*Pachyta lamed* (LINNAEUS, 1758)  
*Pachyta quadrimaculata* (LINNAEUS, 1758)  
*Paragaurotes doris* BATES, 1884  
*Paragaurotes ussuriensis* BLESSIG, 1873  
*Pidonia amentata* (BATES, 1884)  
*Pidonia bouvieri* PIC, 1901  
*Pidonia debilis* KRAATZ, 1879  
*Pidonia discoidalis* PIC, 1901  
*Pidonia grallatrix* BATES, 1884  
*Pidonia insuturata* PIC, 1901  
*Pidonia limbaticollis ohbayashii* (MATSUSHITA, 1933)  
*Pidonia lurida* (FABRICIUS, 1792)  
*Pidonia maculithorax* (PIC, 1901)  
*Pidonia masakii* HAYASHI, 1955  
*Pidonia miwai* (MATSUSHITA, 1933)  
*Pidonia puziloi* (SOLSKY, 1873)  
*Pidonia semiobscura* PIC, 1901  
*Pidonia signifera* BATES, 1884  
*Pseudogaurotina excellens* (BRANCSIK, 1874)  
*Pseudosieversia japonica* (OHBAYASHI, 1937)  
*Rhagium bifasciatum* FABRICIUS, 1775  
*Rhagium fasciculatum* FALDERMANN, 1837  
*Rhagium heyrovskýi* PODÁŇ, 1964

- Rhagium inquisitor* (LINNAEUS, 1758)  
*Rhagium mordax* (DE GEER, 1775)  
*Rhagium sycophanta* (SCHRANK, 1781)  
*Stenocorus amurensis* KRAATZ, 1879  
*Stenocorus insitivus* (GERMAR, 1824)  
*Stenocorus meridianus* (LINNAEUS, 1758)  
*Stenocorus quercus* (GÖTZ, 1783)  
*Stenocorus validicornis univittatus* (REITTER, 1914)  
*Toxotinus reini* (HEYDEN, 1879)
- Rhamnusii**
- Rhamnusium bicolor bicolor* (SCHRANK, 1781)  
*Rhamnusium bicolor demaggii* TIPPmann, 1956
- Sachalinobiini**
- Sachalinobia koltzei* HEYDEN, 1887
- Xylosteini**
- Xylosteus bartoni* OBENBERGER & MAŘAN, 1933
- Parandrinae**
- Parandrini**
- Parandra caspia* MÉNÉTRIÉS, 1832  
*Parandra brunnea* (FABRICIUS, 1798)
- Philinae**
- Philini**
- Mantitheus pekinensis* FAIRMAIRE, 1889
- Prioninae**
- Aegosomatini**
- Aegosoma scabricorne* (SCOPOLI, 1763)  
*Aegosoma sinicum* (WHITE, 1853)  
*Megopis marginale* (FABRICIUS, 1775)  
*Nepiodes costipennis* WHITE, 1853
- Anacoloni**
- Psephactus remiger* HAROLD, 1879
- Callipogonini**
- Callipogon relictus* (SEmenov, 1899)
- Ergatini**
- Ergates faber* (LINNAEUS, 1760)
- Eurypodini**
- Euryptoda batesi* GAHAN, 1894
- Macrotomini**
- Bandar pascoei pascoei* (LANSERGE, 1884)  
*Bandar pascoei formosae* GRESSITT, 1938  
*Prinobius myardi* MULSANT, 1842  
*Rhaesus serricollis* (MOTSCHULSKY, 1838)  
*Xixuthrus microcerus* WHITE, 1853
- Meroscelisini**
- Tragosoma depsarium* (LINNAEUS, 1767)
- Prionimi**
- Dorysthenes buqueti* GUÉRIN-MÉNEVILLE, 1844  
*Dorysthenes hydropicus* PASCOE, 1857  
*Lobarthon balassogloi* (JAKOVLEV, 1885)  
*Mesoprionus angustatus* (JAKOVLEV, 1887)  
*Microarthron komaroffi* (DOHRN, 1885)  
*Pogonarthron bedeli* (SEmenov, 1900)  
*Prionomma orientalis* OLIVIER, 1795
- Prionus besikanus** FAIRMAIRE, 1855  
**Prionus coriarius** (LINNAEUS, 1758)  
**Prionus insularis** MOTSCHULSKY, 1858  
**Prionus sejunctus** HAYASHI, 1959  
**Prionus yakushimanus** OHBAYASHI, 1964  
*Priotyrranus closteroides* (THOMSON, 1877)  
*Pseudoprionus bienerti* (HEYDEN, 1885)  
*Psilotarsus brachypterus* (GEBLER, 1830)  
*Psilotarsus turkestanicus* (SEmenov, 1888)  
*Trichohammus granulosus* (THOMSON, 1860)
- Spondylidinae**
- Anisarthrini**
- Alocerus moesiacus* (FRIVALDSZKY, 1837)  
*Anisarthron barbipes* (SCHRANK, 1781)
- Asemini**
- Arhopalus rusticus* (LINNAEUS, 1758)  
*Arhopalus syriacus* (REITTER, 1895)  
*Asemum striatum* (LINNAEUS, 1758)  
*Cephalallus unicolor* (GAHAN, 1906)  
*Megasemum quadricostulatum* KRAATZ, 1879  
*Nothorhina punctata* FABRICIUS, 1798  
*Tetropium castaneum* (LINNAEUS, 1758)  
*Tetropium fuscum* (FABRICIUS, 1787)  
*Tetropium gabrieli* WEISE, 1905  
*Tetropium gracilicorne* REITTER, 1889
- Atimiini**
- Atimia okayamensis* HAYASHI, 1972
- Saphanini**
- Oxyleurus nodieri* MULSANT, 1839  
*Saphanus piceus ganglbaueri* BRANCSIK, 1886  
*Saphanus piceus piceus* (LAICHARTING, 1784)
- Spondylidini**
- Spondylis buprestoides* (LINNAEUS, 1758)
- Disteniidae**
- Disteniini**
- Distenia gracilis* BLESSIG, 1872  
*Tengius kuroswai* MAKIHARA, 1986  
*Tengius ohkuboi* MATSUSHITA, 1938
- Vesperidae**
- Vesperus conicicollis* FAIRMAIRE & COQUEREL, 1866  
*Vesperus fuentei* PIC, 1905  
*Vesperus luridus* (ROSSI, 1794)  
*Vesperus strepens* (FABRICIUS, 1792)  
*Vesperus xatarti* MULSANT, 1839

### Leaf-rolling weevils in the PLUCIŃSKI Collection

The Rhynchitidae and Attelabidae collection (Table 2, Figs 3-8) comprises 2346 specimens of 308 identified species and subspecies. They come mostly from Europe and Asia (particularly South-East and Japan), but unlike cerambycid collection, African (incl. Madagascar) and American species are also relatively well represented. The family Rhynchitidae is represented by 1000 specimens of 106 species and subspecies, while Attelabidae by 1346 specimens (975 Apoderinae and 371 Attelabinae) of 202 species and subspecies. Tribes Rhynchitini and Apoderini are especially species-rich in the PLUCIŃSKI Collection. The detailed list of taxa is given below.



2-3. Specimens of Attelabidae (examples of Hoplapoderini) from the PLUCIŃSKI Collection

**Rhynchitidae****Rhynchitinae****Auletini**

- Aletinus akinini* (FAUST, 1885)  
*Aletinus maculipennis* (JACQUELIN DU VAL, 1854)  
*Auletes tubicen* BOHEMAN, 1829  
*Auletobius irkutensis* FAUST, 1893  
*Auletobius sanguisorbae* (SCHRANK, 1798)  
*Eomesauletes politus* (LEPELETIER & AUDIENT-SERVILLE, 1825)

*Eurostauletes rubrorufus* (SOLSKY, 1880)

- Hamiltoniauletes cassandrae* (LECONTE, 1876)  
*Mesauletobius pubescens* (KIESENWETTER, 1851)  
*Pseudauletes luceus* (GYLLENHAL, 1839)

*Pseudomesauletes uniformis* (ROELOFS, 1874)

**Byctiscini**

- Aspidobyctiscus clavicornis* (PASCOE, 1875)  
*Aspidobyctiscus coerulans* (VOSS, 1929)  
*Aspidobyctiscus lacunipennis* (JEKEL, 1860)  
*Aspidobyctiscus paviei* (AURIVILLIUS, 1891)  
*Byctiscus betulae* (LINNAEUS, 1758)  
*Byctiscus congener* JEKEL, 1860  
*Byctiscus fausti* SHARP, 1889

*Byctiscus impressus* (FAIRMAIRE, 1900)

*Byctiscus populi* (LINNAEUS, 1758)

*Byctiscus princeps* (SOLSKY, 1872)

*Byctiscus rugosus* (GEBLER, 1830)

*Byctiscus venustus* (PASCOE, 1875)

*Listrobyctiscus corvinus* (PASCOE, 1885)

*Nelistrobyctiscus gagates* (PASCOE, 1875)

**Deporaini**

- Caenorhinus glastinus* (LECONTE, 1857)  
*Caenorhinus mannerheimii* (HUMMEL, 1823)  
*Caenorhinus marginatus* (PASCOE, 1883)  
*Capylarodepus klapperichi* (Voss, 1941)  
*Chokkiriush truncatus* (SHARP, 1889)  
*Chonostropheus chujoi* Voss, 1956  
*Chonostropheus seminiger* (REITTER, 1881)  
*Chonostropheus tristis* (FABRICIUS, 1794)  
*Deporaus affectatus* FAUST, 1887  
*Deporaus betulae* (LINNAEUS, 1758)  
*Deporaus bicolor* (VOSS, 1938)  
*Deporaus unicolor* (ROELOFS, 1874)  
*Exrhynchites puberulus* (FAUST, 1895)  
*Paradeporaus depressus* (FAUST, 1882)



5



6



7



8

5-8. Examples of spectacular Attelabidae specimens from the PLUCIŃSKI Collection. *Echinapoderus enoplus* (BRANCSIK) (5), *Lagenoderus gnomoides* WHITE (6), *Cycnotrachelus flavotuberosus* (JEKEL) (7), *Lamprolabus spiculatus* (BOHEMAN) (8)

**Eugnampptini**

- Aderorhinus crioceroides* (ROELOFS, 1874)  
*Aderorhinus pedicellaris* VOSS, 1939  
*Chryseugnampptus flavinatus* (BOHEMAN, 1845)  
*Eugnampptobius aurifrons* (ROELOFS, 1874)  
*Eugnampptobius flavipes* (SHARP, 1889)  
*Neoeugnampptus amurensis* (FAUST, 1882)  
*Neoeugnampptus bimaculosus* (Voss, 1939)  
*Neoeugnampptus hirsutus* (Voss, 1924)

**Rhynchitini**

- Ameroinvolvulus scutellaris* (SHARP, 1889)  
*Amerorhynchites aeneus* (BOHEMAN, 1829)  
*Amerorhynchites eximius* (LECONTE, 1876)  
*Amerorhynchites mexicanus* (GYLLENHAL, 1833)  
*Amerorhynchites obscuricolor* (Voss, 1938)  
*Amerorhynchites planifrons* (LECONTE, 1876)  
*Amerorhynchites pseudomexicanus* (HAMILTON, 1974)  
*Amerorhynchites quadripennis* (FALL, 1929)  
*Amerorhynchites subauratus* (SHARP, 1889)  
*Auletomorphus cupidio* (PASCOE, 1875)  
*Auletomorphus tonkinensis* (Voss, 1924)  
*Clinorhynchidius flexirostris* (Voss, 1938)  
*Cneminvolvulus genganensis* (Voss, 1920)  
*Cneminvolvulus rugosicollis* (Voss, 1920)  
*Cyllorrhynchites cumulatus* (Voss, 1930)  
*Cyllorrhynchites kawiensis* (HARTMANN, 1899)  
*Cyllorrhynchites ursulus* (ROELOFS, 1874)  
*Involvulus amabilis* (ROELOFS, 1874)  
*Involvulus caeruleus* (DEGEER, 1775)  
*Involvulus cupreus* (LINNAEUS, 1758)  
*Involvulus pilosus* (ROELOFS, 1874)  
*Involvulus placidus* (SHARP, 1889)  
*Involvulus pubescens* (FABRICIUS, 1775)  
*Lasiorhynchites brevirostris* (ROELOFS, 1874)  
*Lasiorhynchites caeruleocephalus* (SCHALLER, 1783)  
*Lasiorhynchites cavifrons* (GYLLENHAL, 1833)  
*Lasiorhynchites olivaceus* (GYLLENHAL, 1833)  
*Lasiorhynchites praeustus* (BOHEMAN, 1845)  
*Lasiorhynchites sericeus* (HERBST, 1797)  
*Mecorrhis aethiops* (BACH, 1854)  
*Mecorrhis pilosissellata* (Voss, 1922)  
*Mecorrhis plumbea* (ROELOFS, 1874)  
*Mecorrhis ungarica* (HERBST, 1783)  
*Merhynchites bicolor* (FABRICIUS, 1775)  
*Merhynchites wickhami* (COCKERELL, 1912)  
*Neocoenorrhinus abeillei* (DES BROCHERS, 1869)  
*Neocoenorrhinus assimilis* (ROELOFS, 1874)  
*Neocoenorrhinus germanicus* (HERBST, 1797)  
*Neocoenorrhinus interpunctatus* (STEPHENS, 1831)  
*Neocoenorrhinus interruptus* (Voss, 1920)  
*Neocoenorrhinus minutus* (HERBST, 1797)  
*Neocoenorrhinus pauxillus* (GERMAR, 1824)

*Perrhynchites aereipennis* (DES BROCHERS, 1895)*Rhodocyrthus cribripennis* (DES BROCHERS, 1869)*Rhynchites auratus* (SCOPOLI, 1763)*Rhynchites bacchus* (LINNAEUS, 1758)*Rhynchites fulgidus* FALDERMANN, 1835*Rhynchites giganteus* SCHOENHERR, 1832*Rhynchites heros* ROELOFS, 1874*Rhynchites lenaeus* FAUST, 1891*Rhynchites smyrnensis* DES BROCHERS, 1869*Tatianaerhynchites aequatus* (LINNAEUS, 1767)*Tennocerus aureus* (LE CONTE, 1876)*Tennocerus coeruleus* (FABRICIUS, 1798)*Tennocerus dilatarostris* HAMILTON, 1971*Tennocerus levirostris* (FALL, 1929)*Tennocerus longiceps* (C.G. THOMSON, 1888)*Tennocerus nanus* (PAYKULL, 1792)*Tennocerus semicyaneus* (BEDEL, 1884)**Attelabidae****Apoderinae****Apoderini***Anisonychus atropterus* (Voss, 1927)*Anisonychus cinchonae* (ROEPKE, 1911)*Anisonychus melanopterus* (WIEDEMANN, 1819)*Anisonychus rugosus* (Voss, 1927)*Apoderus coryli* (LINNAEUS, 1758)*Apoderus jekelii* ROELOFS, 1874*Apoderus rugicollis* SCHILSKY, 1906*Borneocorynus fenestratus* (HELLER, 1908)*Centrocorynus rufulus* Voss, 1929*Centrocorynus scutellaris* (GYLLENHAL, 1833)*Compsapoderus dimidiatus* (FAUST, 1890)*Compsapoderus erythropterous* (GMELIN, 1790)*Compsapoderus foveipennis* (SUFFRIAN, 1870)*Compsapoderus geminus* (SHARI, 1889)*Compsapoderus lepidulus* (Voss, 1927)*Compsapoderus papei* (Voss, 1927)*Cycnotrachelodes camphoricola* (Voss, 1924)*Cycnotrachelodes coeruleatus* (FAUST, 1895)*Cycnotrachelodes cyanopterus* (MOT Schulsky, 1861)*Cycnotrachelodes roelofsi* (HAROLD, 1877)*Cycnotrachelus flavoguttatus* Voss, 1929*Cycnotrachelus flavotuberosus* (JEKEL, 1860)*Echinapoderus enoplus* (BRANCSIK, 1893)*Echinapoderus horridulus* (BOHEMAN, 1845)*Echinapoderus kilimanus* (AURIVILLIUS, 1910)*Echinapoderus partitialis* Voss, 1929*Echinapoderus ugandensis* Voss, 1926*Hamiltonius notatus* (FABRICIUS, 1792)*Hamiltonius sexguttatus* (Voss, 1927)*Hamiltonius trinotatus* (FAUST, 1883)*Heterapoderus bicallosicollis* (Voss, 1932)*Heterapoderus brachialis* (Voss, 1924)

- Heterapoderus cantonensis* (Voss, 1927)  
*Heterapoderus crenatus* (JEKEL, 1860)  
*Heterapoderus geniculatus* (JEKEL, 1860)  
*Heterapoderus interpositus* KESSEL in litt.  
*Heterapoderus pauperulus* (Voss, 1927)  
*Heterapoderus pullus* (JEKEL, 1860)  
*Heterapoderus sulcicollis* (JEKEL, 1860)  
*Leptapoderus affinis* (SCHILSKY, 1906)  
*Leptapoderus balteatus* (ROELOFS, 1874)  
*Leptapoderus basalis* (JEKEL, 1860)  
*Leptapoderus carbonicolor* (MOTSCHULSKY, 1860)  
*Leptapoderus collaris* (JEKEL, 1860)  
*Leptapoderus nigroapicatus* (JEKEL, 1860)  
*Leptapoderus praecellens* (SHARP, 1889)  
*Leptapoderus quadripunctatus* (GYLLENHAL, 1833)  
*Leptapoderus rubidus* (MOTSCHULSKY, 1860)  
*Leptapoderus rufobasalis* (HELLER, 1908)  
*Leptapoderus rufus* (FABRICIUS, 1801)  
*Leptapoderus sejugatus* (Voss, 1924)  
*Leptapoderus sinicus* (Voss, 1927)  
*Leptapoderus submaculatus* (Voss, 1927)  
*Opanassenkovius verrucosus* (PASCOE, 1881)  
*Paracynotrachelus chinensis* (JEKEL, 1860)  
*Paracynotrachelus collaris* (JEKEL, 1860)  
*Paracynotrachelus consimilis* Voss, 1929  
*Paracynotrachelus curvaticeps* (PIC, 1932)  
*Paracynotrachelus cygneus* (FABRICIUS, 1801)  
*Paracynotrachelus longiceps* (MOTSCHULSKY, 1860)  
*Paracynotrachelus moluccarum* Voss, 1929  
*Paracynotrachelus montanus* (JEKEL, 1860)  
*Paracynotrachelus nietneri* (JEKEL, 1860)  
*Paracynotrachelus rufobasalis* (HELLER, 1908)  
*Paracynotrachelus wallacei* (FAUST, 1890)  
*Paratrachelophorus brachmanus* Voss, 1924  
*Paratrachelophorus longicornis* (ROELOFS, 1874)  
*Paratrachelophorus nodicornis* Voss, 1924  
*Philippinocorynus sejunctus* (FAUST, 1883)  
*Physapoderus aemulus* (FAUST, 1894)  
*Physapoderus biguttatus* (FABRICIUS, 1801)  
*Physapoderus bilineatus* (FAUST, 1883)  
*Physapoderus crucifer* (HELLER, 1922)  
*Physapoderus flavotorosus* (FAUST, 1898)  
*Physapoderus gracilicornis* (Voss, 1929)  
*Physapoderus proximus* (Voss, 1929)  
*Physapoderus ruficlavus* (Voss, 1929)  
*Pseudocycnotrachelus ledyardi* (HELLER, 1915)  
*Strigapoderus indicus* (HELLER, 1908)  
*Strigapoderus javanicus* (JEKEL, 1860)  
*Strigapoderus tranquebaricus* (FABRICIUS, 1798)
- Clitostylini**
- Allapoderus cyaneovirens* (JEKEL, 1860)  
*Allapoderus dentipes* (FAUST, 1883)  
*Maculphrysus inspersus* (Voss, 1929)
- Maculphrysus quadrimaculatus* (FALDERMANN, 1835)  
*Morphocorynus nigricollis* (ROELOFS, 1874)  
*Pseudophrysus parvulus* (Voss, 1928)
- Hoplapoderini**
- Homapoderus anxius* (FAUST, 1894)  
*Hoplapoderus calliginosus* (FAUST, 1894)  
*Hoplapoderus echinatus* (GYLLENHAL, 1833)  
*Hoplapoderus gemmatus* (THUNBERG, 1784)  
*Hoplapoderus gemmosus* (JEKEL, 1860)  
*Hoplapoderus hystrix* (FABRICIUS, 1801)  
*Paroplapoderus amoenus* Voss, 1926  
*Paroplapoderus armatus* Voss, 1926  
*Paroplapoderus bistriospinosus* (FAUST, 1894)  
*Paroplapoderus bituberculatus* Voss, 1926  
*Paroplapoderus breviceps* Voss, 1926  
*Paroplapoderus coniceps* Voss, 1926  
*Paroplapoderus doriae* (PASCOE, 1885)  
*Paroplapoderus fallax* (GYLLENHAL, 1839)  
*Paroplapoderus fasciatus* Voss, 1928  
*Paroplapoderus pardalis* (SNELLEN VAN VOLLENHOVEN, 1865)  
*Paroplapoderus semiannulatus* (JEKEL, 1860)  
*Paroplapoderus spiniferus* (ROELOFS, 1880)  
*Paroplapoderus tentator* (FAUST, 1895)  
*Paroplapoderus turbidus* Voss, 1926  
*Paroplapoderus validus* Voss, 1926  
*Paroplapoderus vanvolxemi* (ROELOFS, 1875)  
*Paroplapoderus vitticeps* (JEKEL, 1860)  
*Phymatapoderus flavimanus* (MOTSCHULSKY, 1860)  
*Phymatapoderus latipennis* (JEKEL, 1860)  
*Phymatapoderus subornatus* (SHARP, 1889)  
*Rhamnapoderus dumosus* (GYLLENHAL, 1839)  
*Rhamnapoderus sinifer* (FAHRAEUS, 1871)  
*Rhamnapoderus spiculosus* (JEKEL, 1860)  
*Rhamnapoderus verticalis* Voss, 1926  
*Strigapoderopsis submarginatus* (GYLLENHAL, 1839)  
*Tomapoderus coeruleipennis* (SCHILSKY, 1903)  
*Tomapoderus ruficollis* (FABRICIUS, 1781)  
*Tomapoderus subconicollis* Voss, 1926
- Trachelophorini**
- Madagasocycnelus elegans* (Voss, 1929)  
*Madagasocycnelus humeralis* (OLIVIER, 1807)  
*Metriotrachelus festivus* (KLUG, 1833)  
*Trachelophoridius flavicornis* (GYLLENHAL, 1839)  
*Trachelophoridius tamatavoensis* Voss, 1929  
*Trachelophorus abdominalis* (GYLLENHAL, 1839)  
*Trachelophorus ardea* (GYLLENHAL, 1839)  
*Trachelophorus fausti* Voss, 1929  
*Trachelophorus giraffa* (JEKEL, 1860)  
*Trachelophorus madagassus* (HUSTACHE, 1922)  
*Trachelophorus signatus* Voss, 1929  
*Vossitrachelophorus limbatus* (FAUST, 1889)

**Attelabinae****Attelabini**

- Attelabus cyanellus* Voss, 1925  
*Attelabus nitens* (SCOPOLI, 1763)  
*Attelabus sulcifrons* (ARGOD-VALLON, 1895)  
*Catalabus quadriplagiatus* Voss, 1953  
*Cyrtolabus christophi* (FAUST, 1884)  
*Cyrtolabus mutus* (FAUST, 1890)  
*Henicolabus giganteus* (FAUST, 1882)  
*Henicolabus gigantoides* (Voss, 1925)  
*Henicolabus hypomelas* (FAIRMAIRE, 1878)  
*Henicolabus lewisi* (SHARP, 1889)  
*Henicolabus octomaculatus* (JEKEL, 1860)  
*Henicolabus simplex* Voss, 1925  
*Humerilabus fausti* (Voss, 1925)  
*Isolabus indigaceus* (PASCOE, 1883)  
*Isolabus jekeli* LEGALOV, 2002  
*Isolabus magnus* Voss, 1925  
*Lamprolabus bihastatus* (FRIVALDSZKY, 1892)  
*Lamprolabus bispinosus* (GYLLENHAL, 1833)  
*Lamprolabus gestroi* (FAUST, 1894)  
*Lamprolabus spiculatus* (BOHEMAN, 1845)  
*Lamprolabus trapezicollis* (HELLER, 1922)  
*Omolabus centomyrciae* (Voss, 1925)  
*Omolabus corvinus* (GYLLENHAL, 1839)  
*Omolabus laesicollis* (GYLLENHAL, 1839)  
*Omolabus nitidus* (FABRICIUS, 1801)  
*Paramecolabus discolor* (FAHRAEUS, 1839)  
*Paramecolabus feae* (FAUST, 1894)  
*Phialodes rufipennis* ROELOFS, 1874
- Euopini**
- Euops championi* Voss, 1929  
*Euops chinensis* Voss, 1922  
*Euops cuprinus* Voss, 1956  
*Euops elongatus* Voss, 1925  
*Euops guineensis* Voss, 1922  
*Euops lespedezae koreanus* SAWADA & MORIMOTO, 1985  
*Euops lespedezae lespedezae* SHARP, 1889

*Euops punctatostriatus* (MOTSCHULSKY, 1860)*Euops pustulosus* SHARP, 1889*Euops splendidus* Voss, 1930*Euops togoensis* FAUST, 1895*Euops viridifuscus* Voss, 1922**Euscelini**

- Clinolabus buqueti* (JEKEL, 1860)  
*Clinolabus melanocoryphus* (GERMAR, 1824)  
*Eleuscelus lineatus* (Voss, 1925)  
*Emphytuscelus corallinus* (GYLLENHAL, 1839)  
*Euscelus mundanus* (SHARP, 1889)  
*Euscelus peruanus* Voss, 1925  
*Euscelus scutellatus* (KLUG, 1829)

**Euscelophilini**

- Calolabus cupreus* (ROELOFS, 1874)  
*Euscelophilus burmanus* MARSHALL, 1948  
*Euscelophilus camelus* Voss, 1937  
*Euscelophilus chinensis* (SCHILSKY, 1906)  
*Euscelophilus gibbicollis* (SCHILSKY, 1906)  
*Trachelolabus floridus* (ZHANG, 1993)

**Hybolabini**

- Heterolabus fabricii* LEGALOV, 2002  
*Himatolabus axillaris* (GYLLENHAL, 1839)  
*Himatolabus rhois* (BOHEMAN, 1829)  
*Homoeolabus analis* (ILLIGER, 1794)  
*Hybolabus ater* (OLIVIER, 1789)  
*Hybolabus columbinus* (ERICHSOHN, 1848)  
*Hybolabus cyaneus* (KLUG, 1825)  
*Hybolabus peruanus* Voss, 1925  
*Synolabus bipustulatus* (FABRICIUS, 1776)

**Lagenoderini**

- Lagenoderus gnomoides* WHITE, 1840  
*Phymatopsis pustula* (ANCEY, 1881)  
*Pleurolabus algoensis* (PÉRINGUEY, 1888)  
*Pleurolabus costulatus* (JEKEL, 1860)  
*Scotopsinus verrucifer* (JEKEL, 1860)

**Pilobabini**

- Pseudopilobabus sumptuosus* (GORY, 1834)  
*Pseudopilobabus viridans* (GYLLENHAL, 1839)

## REFERENCES

- BURCZYK, B. 1999. Ś.p. Janusz PLUCIŃSKI. Pryzmat, 7.  
 LÖBL I., SMETANA A. (ed.), 2010. Catalogue of Palaearctic Coleoptera. Vol. 6: Chrysomeloidea. Apollo Books, 924 pp.

