

A checklist of longicorn beetles (Coleoptera: Cerambycidae) of Poland.

Jacek Kurzawa

Last update: 19.07.2024

The content of the site could be used for any publications with corresponding references. The references to the current site for publications could be as:

Kurzawa J. 2024. A checklist of longicorn beetles (Coleoptera: Cerambycidae) of Poland. [On-line] <https://entomo.pl/coleoptera/cerambycidae/index.php> [19-07-2024]

[PDF version](#) 19.07.2024

[archiwum stron](#)

Fam. Cerambycidae Latreille, 1802

Subfam. Prioninae Latreille, 1802

- Trib. **Ergatini** Fairmaire, 1864
 - Gen. Ergates Serville, 1832
 - Ergates faber (Linnaeus, 1760)
- Trib. **Prionini** Latreille, 1802
 - Gen. Prionus Geoffroy, 1762
 - Prionus coriarius (Linnaeus, 1758)
- Trib. **Meroscelisini** Thomson, 1861
 - Gen. Tragosoma Serville, 1832
 - Tragosoma deparium (Linnaeus, 1767)

Subfam. Lepturinae Latreille, 1802

- Trib. **Oxymirini** Danilevsky, 1997
 - Gen. Oxymirus Mulsant, 1862
 - Oxymirus cursor (Linnaeus, 1758)
- Trib. **Rhamnusiini** Sama, 2009
 - Gen. Rhamnusium Latreille, 1829
 - Rhamnusium bicolor (Schrank, 1781)
- Trib. **Rhagiini** Kirby, 1837
 - Gen. Rhagium Fabricius, 1775
 - Rhagium (Rhagium) inquisitor (Linnaeus, 1758)
 - Rhagium (Megarhagium) sycophanta (Schrank, 1781)
 - Rhagium (Megarhagium) mordax (DeGeer, 1775)
 - Rhagium (Hagrium) bifasciatum Fabricius, 1775
 - Gen. Stenocorus Geoffroy, 1762
 - Stenocorus (Stenocorus) meridianus (Linnaeus, 1758)
 - Stenocorus (Anisorus) quercus (Götz, 1783)
 - Gen. Akimerus Serville, 1835
 - Akimerus schaefferi (Laicharting, 1784)
 - Gen. Pachyta Dejean, 1821
 - Pachyta lamed (Linnaeus, 1758)
 - Pachyta quadrimaculata (Linnaeus, 1758)
 - Gen. Brachyta Fairmaire 1864
 - Brachyta interrogationis (Linnaeus, 1758)
 - Gen. Evodinellus LeConte, 1850
 - Evodinellus (Evodinellus) borealis (Gyllenhal, 1827)
 - Evodinellus (Brachytodes) clathratus (Fabricius, 1793)
 - Gen. Pseudogaurotina Plavilstshikov, 1958
 - Pseudogaurotina excellens (Brancsik, 1874)
 - Gen. Gaurotes LeConte, 1850b
 - Gaurotes (Carilia) virginea (Linnaeus, 1758)
 - Gen. Euracmaeops Danilevsky, 2014
 - Euracmaeops angusticollis (Gebler, 1833)
 - Euracmaeops septentrionis (C.G.Thomson, 1866)
 - Euracmaeops marginatus (Fabricius, 1781)
 - Gen. Gnathacmaeops Linsley & Chemsak, 1972
 - Gnathacmaeops pratensis (Laicharting, 1784)
 - Gen. Dinoptera Mulsant, 1863
 - Dinoptera (Dinoptera) collaris (Linnaeus, 1758)
 - Gen. Cortodera Mulsant, 1863
 - Cortodera humeralis (Schaller, 1783)
 - Cortodera femorata (Fabricius, 1787)
 - Gen. Pidonia Mulsant, 1863
 - Pidonia (Pidonia) lurida (Fabricius, 1793)
- Trib. **Lepturini** Latreille, 1802
 - Gen. Cornumutilla Letzner, 1844
 - Cornumutilla lineata (Letzner, 1844)
 - Gen. Nivellia Mulsant 1863
 - Nivellia sanguinosa (Gyllenhal, 1827)
 - Gen. Grammoptera Dejean, 1835
 - Grammoptera (Grammoptera) abdominalis (Stephens, 1831)
 - Grammoptera (Grammoptera) ruficornis (Fabricius, 1781)
 - Grammoptera (Grammoptera) ustulata (Schaller, 1783)
 - Gen. Alosterna Mulsant, 1863
 - Alosterna tabacicolor (DeGeer, 1775)
 - Alosterna ingraca (Baeckmann, 1902)
 - Gen. Anoploclera Mulsant, 1839
 - Anoploclera (Anoploclera) rufipes (Schaller, 1783)
 - Anoploclera (Anoploclera) sexguttata (Fabricius, 1775)
 - Gen. Pseudovadonia Lobanov, Danilevsky et Murzin, 1981
 - Pseudovadonia livida bicarinata N. Arnold, 1869
 - Gen. Lepturobosca Reitter, 1913
 - Lepturobosca virens (Linnaeus, 1758)
 - Gen. Melanoleptura Miroshnikov, 1998
 - Melanoleptura scutellata (Fabricius, 1781)
 - Gen. Stictoleptura Casey, 1924 (= *Paracorymbia Miroshnikov, 1998*)
 - Stictoleptura (Paracorymbia) fulva (DeGeer, 1775)
 - Stictoleptura (Maculileptura) maculicornis (DeGeer, 1775)
 - Stictoleptura (Batesiata) tessera (Charpentier, 1825)

- *Stictoleptura (Aredolpona) rubra* (Linnaeus, 1858)
- *Stictoleptura (Variileptura) variicornis* (Dalman, 1817)
- Gen. *Anastrangalia* Casey, 1924
 - *Anastrangalia dubia dubia* (Scopoli, 1763)
 - *Anastrangalia dubia reyi* (Heyden, 1889) **NEW**
 - *Anastrangalia sanguinolenta* (Linnaeus, 1761)
- Gen. *Judolia* Mulsant, 1863
 - *Judolia sexmaculata* (Linnaeus, 1758)
- Gen. *Pachytodes* Pic, 1891
 - *Pachytodes cerambyciformis* (Schrank, 1781)
 - *Pachytodes erraticus* (Dalman, 1817)
- Gen. *Strangalia* Dejean, 1835
 - *Strangalia attenuata* (Linnaeus, 1758)
- Gen. *Pedostrangalia* Sokolov, 1897
 - *Pedostrangalia (Pedostrangalia) revestita* (Linnaeus, 1767)
- Gen. *Etorofus* Matsushita, 1933
 - *Etorofus (Etorofus) pubescens* (Fabricius, 1787)
- Gen. *Leptura* Linnaeus, 1758
 - *Leptura annularis* Fabricius, 1801
 - *Leptura aurulenta* Fabricius, 1793
 - *Leptura quadrifasciata* Linnaeus, 1758
 - *Leptura aethiops* Poda, 1761
 - *Leptura (Macroleptura) thoracica* Creutzer, 1799
- Gen. *Lepturalia* Reitter 1913
 - *Lepturalia nigripes* (Degeer, 1775)
- Gen. *Rutpela* Nakane Ohbayashi, 1957
 - *Rutpela maculata* (Poda, 1761)
- Gen. *Stenurella* Villiers, 1974
 - *Stenurella (Priscostenurella) bifasciata* (Müller, 1776)
 - *Stenurella (Priscostenurella) septempunctata* (Fabricius, 1793)
 - *Stenurella (Stenurella) melanura* (Linnaeus, 1758)
 - *Stenurella (Nigrostenurella) nigra* (Linnaeus, 1758)

Subfam. **Necydalinae** Latreille, 1825

- Trib. **Necydalini** Latreille, 1825
 - Gen. *Necydalis* Linnaeus, 1758
 - *Necydalis major* Linnaeus, 1758
 - *Necydalis ulmi* Chevrolat, 1838

Subfam. **Spondylidinae** Audinet-Serville, 1832

- Trib. **Spondyliidini** Audinet-Serville, 1832
 - Gen. *Spondylis* Fabricius, 1775
 - *Spondylis buprestoides* (Linnaeus, 1758)
- Trib. **Asemmini** Thomson, 1860
 - Gen. *Asemum* Eschscholtz, 1830
 - *Asemum striatum* (Linnaeus, 1758)
 - *Asemum tenuicorne* Kraatz, 1879 **NEW**
 - Gen. *Nothorhina* Redtenbacher, 1845
 - *Nothorhina punctata* (Fabricius, 1798)c
 - Gen. *Arhopalus* Serville, 1834
 - *Arhopalus ferus* (Mulsant, 1839)
 - *Arhopalus rusticus* (Linnaeus, 1758)
 - Gen. *Tetropium* Kirby, 1837
 - *Tetropium castaneum* (Linnaeus, 1758)
 - *Tetropium gabrieli* (J.Weise, 1905)
 - *Tetropium fuscum* (Fabricius, 1787)
- Trib. **Anisarthrini** Mamaev & Danilevsky, 1973
 - Gen. *Anisarthron* Redtenbacher, 1845
 - *Anisarthron barbipes* (Schrank, 1845)
- Trib. **Saphanini** Fairmaire, 1868
 - Gen. *Saphanus* Serville 1834
 - *Saphanus piceus* (Laicharting, 1784)

Subfam. **Cerambycinae** Latreille, 1804

- Trib. **Graciliini** Mulsant, 1839
 - Gen. *Gracilia* Audinet-Serville, 1834
 - *Gracilia minuta* (Fabricius, 1781)
- Trib. **Hesperophanini** Mulsant, 1839
 - Gen. *Trichoferus* Wollaston, 1854
 - *Trichoferus campestris* Faldermann, 1835
 - *Trichoferus pallidus* (Olivier, 1790)
- Trib. **Obrini** Mulsant, 1863
 - Gen. *Obrium* Dejean, 1821
 - *Obrium cantharinum* (Linnaeus, 1767)
 - *Obrium brunneum* (Fabricius, 1793)
 - Gen. *Axinopalpis* Dejean, 1835
 - *Axinopalpis gracilis* (Krynicky, 1832)
- Trib. **Nathriini** Linsley, 1963
 - Gen. *Nathrius* Brethes, 1916
 - *Nathrius brevipennis* (Mulsant, 1839)
- Trib. **Molorchini** Mulsant, 1862
 - Gen. *Molorchus* Fabricius, 1793
 - *Molorchus (Caenoptera) minor* (Linnaeus, 1758)
 - *Molorchus (Molorchus) marmottani* (Brisout, 1863)
 - *Molorchus (Molorchus) kiesenwetteri* (Mulsant & Rey, 1861)
 - *Molorchus (Molorchus) umbellatarus* (Schreber, 1759)
- Trib. **Stenopterini** Fairmaire, 1864
 - Gen. *Stenopterus* Illiger, 1804
 - *Stenopterus rufus* (Linnaeus, 1767)
 - Gen. *Callimus* Mulsant, 1846
 - *Callimus (Callimus) angulatus* (Schrank, 1789)
- Trib. **Deilini** Fairmaire, 1864
 - Gen. *Deilus* Serville, 1834
 - *Deilus fugax* (Olivier, 1790)
- Trib. **Cerambycini** Latreille, 1802
 - Gen. *Cerambyx* Linnaeus, 1758
 - *Cerambyx (Cerambyx) cerdo* Linnaeus, 1758
 - *Cerambyx (Microcerambyx) scopoli* Fuessly, 1775
- Trib. **Compocerini** Thomson, 1864
 - Gen. *Rosalia* Serville, 1834
 - *Rosalia alpina* (Linnaeus, 1758)
- Trib. **Callichromatini** Blanchard, 1845
 - Gen. *Aromia* Serville, 1834
 - *Aromia moschata* (Linnaeus, 1758)

- Trib. **Hylotruperini** Zagaikievich 1991
 - Gen. *Hylotrupes* Serville, 1834
 - *Hylotrupes bajulus* (Linnaeus, 1758)
- Trib. **Callidiini** Kirby, 1837
 - Gen. *Pronocera* Motschulsky, 1859
 - *Pronocera angusta* (Kriechbaumer, 1844)
 - Gen. *Leioderes* Redtenbacher, 1848
 - *Leioderes kollari* (Redtenbacher, 1848)
 - Gen. *Ropalopus* Mulsant, 1839
 - *Ropalopus clavipes* (Fabricius, 1775)
 - *Ropalopus macropus* (Germar, 1823)
 - *Ropalopus femoratus* (Linnaeus, 1758)
 - *Ropalopus varini* (Bedel, 1870)
 - *Ropalopus ungaricus* (Herbst, 1784)
 - Gen. *Semanotus* Mulsant, 1839
 - *Semanotus undatus* (Linnaeus, 1758)
 - Gen. *Callidium* Fabricius, 1775
 - *Callidium (Callidium) violaceum* (Linnaeus, 1758)
 - *Callidium (Callidostola) aeneum* (Degeer, 1775)
 - *Callidium (Palaeocallidium) coriaceum* (Paykull, 1800)
 - Gen. *Pyrrhidium* Fairmaire, 1864
 - *Pyrrhidium sanguineum* (Linnaeus, 1758)
 - Gen. *Phymatodes* Mulsant, 1839
 - *Phymatodes (Phymatodes) testaceus* (Linnaeus, 1758)
 - *Phymatodes (Phymatoderus) glabratus* (Charpentier, 1825)
 - *Phymatodes (Phymatoderus) pusillus* (Fabricius, 1787)
 - *Phymatodes (Phymatodellus) rufipes* (Fabricius, 1776)
 - *Phymatodes (Paraphymatodes) fasciatus* (Villers, 1789)
 - *Phymatodes (Poecilium) alni* (Linnaeus, 1767)
- Trib. **Purpuricenini** Fairmaire, 1864
 - Gen. *Purpuricenus* Dejean, 1821
 - *Purpuricenus kaehleri* (Linnaeus, 1758)
- Trib. **Clytini** Mulsant, 1842
 - Gen. *Plagionotus* Mulsant, 1842
 - *Plagionotus arcuatus* (Linnaeus, 1758)
 - *Plagionotus detritus* (Linnaeus, 1758)
 - Gen. *Echinocerus* Mulsant, 1863
 - *Echinocerus floralis* (Pallas, 1773)
 - Gen. *Xylotrechus* Chevrolat, 1860
 - *Xylotrechus (Xylotrechus) antilope* (Schönherr, 1817)
 - *Xylotrechus (Xylotrechus) arvicola* (Olivier, 1800)
 - *Xylotrechus (Xylotrechus) ibex* (Gebler, 1825)
 - *Xylotrechus (Xylotrechus) capricornus* (Gebler, 1830)
 - *Xylotrechus (Rusticoclytus) pantherinus* (Savenius, 1825)
 - *Xylotrechus (Rusticoclytus) rusticus* (Linnaeus, 1758)
 - Gen. *Cyrtoclytus* Ganglbauer 1881
 - *Cyrtoclytus capra* (Germar, 1823)
 - Gen. *Clytus* Laicharting, 1784
 - *Clytus arietis* (Linnaeus, 1758)
 - *Clytus lama* (Mulsant, 1847)
 - *Clytus tropicus* (Panzer, 1795)
 - Gen. *Rhaphuma* Pascoe, 1858
 - *Rhaphuma gracilipes* (Faldermann, 1835)
 - Gen. *Isotomus* Mulsant, 1863
 - *Isotomus speciosus* (Schneider, 1787)
 - Gen. *Chlorophorus* Chevrolat, 1863
 - *Chlorophorus (Humeromaculatus) figuratus* (Scopoli, 1763)
 - *Chlorophorus (Immaculatus) herbstii* (Brahm, 1790)
 - *Chlorophorus (Immaculatus) varius* (Müller, 1766)
 - *Chlorophorus (Perdoromaculatus) sartor* (Müller, 1766)
- Trib. **Anaglyptini** Lacordaire, 1868
 - Gen. *Anaglyptus* Mulsant, 1839
 - *Anaglyptus mysticus* (Linnaeus, 1758)

Subfam. **Lamiinae** Latreille, 1825

- Trib. **Dorcadionini**
 - Gen. *Dorcadion* Dalman in Schönherr, 1817
 - *Dorcadion (Pedestredorcadion) scopoli* (Herbst, 1784)
 - *Dorcadion (Pedestredorcadion) holosericeum* (Krynicky, 1832)
 - *Dorcadion (Carinatodorcadion) fulvum fulvum* Scopoli, 1763
- Trib. **Mesosini** Mulsant, 1839
 - Gen. *Mesosa* Latreille, 1829
 - *Mesosa (Mesosa) curculionoides* (Linnaeus, 1761)
 - *Mesosa (Aplocnemia) nebulosa* (Fabricius, 1781)
 - *Mesosa (Aplocnemia) myops* (Dalman, 1817)
- Trib. **Lamiini** Latreille, 1825
 - Gen. *Lamia* Fabricius, 1775
 - *Lamia textor* (Linnaeus, 1758)
- Trib. **Monocharini** Thomson, 1860
 - Gen. *Monocharus* Dejean, 1821
 - *Monocharus galloprovincialis* (Olivier, 1800)
 - *Monocharus sutor* (Linnaeus, 1758)
 - *Monocharus sartor sartor* (Fabricius, 1787)
 - *Monocharus sartor urussovii* (Fischer, 1806) **NEW**
 - *Monocharus saltuarius* (Gebler, 1830)
- Trib. **Acanthocinini** Blanchard, 1845
 - Gen. *Acanthocinus* Dejean, 1821
 - *Acanthocinus aedilis* (Linnaeus, 1758)
 - *Acanthocinus griseus* (Fabricius, 1793)
 - *Acanthocinus reticulatus* (Razumovsky, 1789)
 - Gen. *Leiopus* Serville, 1835
 - *Leiopus punctulatus* (Paykull 1800)
 - *Leiopus taeniatus* Gmelin, 1790 (=linnei Wallin, Nylander & Kvamme, 2009) **NEW**
 - *Leiopus nebulosus* (Linnaeus, 1758)
- Trib. **Exocentrini** Pascoe, 1864
 - Gen. *Exocentrus* Dejean, 1835
 - *Exocentrus adpersus* Mulsant, 1846
 - *Exocentrus lusitanus* (Linnaeus, 1767)
 - *Exocentrus punctipennis* Mulsant et Guillebeau, 1856
 - *Exocentrus stierlini* Ganglbauer, 1883
- Trib. **Acanthoderini** Thomson, 1860
 - Gen. *Aegomorphus* Haldeman, 1847
 - *Aegomorphus clavipes* (Schrank, 1781)
 - *Aegomorphus obscurior* (Pic, 1904)
 - *Aegomorphus francottei* Sama, 1994
 - Gen. *Oplosia* Mulsant, 1863
 - *Oplosia cinerea* (Mulsant, 1839)
- Trib. **Pogonocherini** Mulsant, 1839

- Gen. *Pogonocherus* Dejean, 1821
 - *Pogonocherus* (*Pityphylus*) *decoratus* Fairmaire, 1855
 - *Pogonocherus* (*Pityphylus*) *ovatus* (Goeze, 1777)
 - *Pogonocherus* (*Pityphylus*) *fasciculatus* (DeGeer, 1775)
 - *Pogonocherus* *hispidulus* (Piller, 1783)
 - *Pogonocherus* *hispidus* (Linnaeus, 1758)
- Trib. **Apodasyini** Lacordaire, 1872
 - Gen. *Anaesthetis* Dejean, 1835
 - *Anaesthetis* *testacea* (Fabricius, 1781)
- Trib. **Saperdini** Mulsant, 1839
 - Gen. *Saperda* Fabricius, 1775
 - *Saperda* (*Lopezcolonia*) *scalaris* (Linnaeus, 1758)
 - *Saperda* (*Lopezcolonia*) *perforata* (Pallas, 1773)
 - *Saperda* (*Lopezcolonia*) *octopunctata* (Scopoli, 1772)
 - *Saperda* (*Lopezcolonia*) *punctata* (Linnaeus, 1767)
 - *Saperda* (*Compsidia*) *populnea* (Linnaeus, 1758)
 - *Saperda* *carcharias* (Linnaeus, 1758)
 - *Saperda* *similis* (Laicharting, 1784)
 - Gen. *Menesia* Mulsant, 1856
 - *Menesia* *bipunctata* (Zoubkov, 1829)
 - Gen. *Stenostola* Mulsant, 1839
 - *Stenostola* *dubia* (Laicharting, 1784)
 - *Stenostola* *ferrea* (Schränk, 1776)
- Trib. **Tetropini** Casey 1913
 - Gen. *Tetrops* Kirby, 1826
 - *Tetrops* *praeustus* (Linnaeus, 1758)
 - *Tetrops* *starkii* Chevrolat, 1859
 - *Tetrops* *gilvipes* adlbaueri Lazarev, 2012
- Trib. **Phytoeciini** Mulsant, 1839
 - Gen. *Oberea* Dejean, 1935
 - *Oberea* (*Oberea*) *oculata* (Linnaeus, 1758)
 - *Oberea* (*Oberea*) *linearis* (Linnaeus, 1761)
 - *Oberea* (*Oberea*) *pupillata* (Gyllenhal, 1817)
 - *Oberea* (*Amaurostoma*) *erythrocephala* (Schränk, 1776)
 - *Oberea* (*Amaurostoma*) *euphorbiae* Germar, 1813
 - Gen. *Phytoecia* Mulsant, 1839
 - *Phytoecia* *cylindrica* (Linnaeus, 1758)
 - *Phytoecia* *icterica* (Schaller, 1783)
 - *Phytoecia* *nigricornis* (Fabricius, 1781)
 - *Phytoecia* *pustulata* (Schränk, 1776)
 - *Phytoecia* *virgula* (Charpentier, 1825)
 - *Phytoecia* (*Opsilia*) *coerulescens* (Scopoli, 1763)
 - *Phytoecia* (*Opsilia*) *uncinata* (W. Redtenbacher, 1842)
 - *Phytoecia* (*Musaria*) *affinis* (Harrer, 1784)
- Trib. **Agapanthiini** Mulsant, 1839
 - Gen. *Agapanthia* Serville, 1835
 - *Agapanthia* (*Agapanthia*) *cardui* (Linnaeus, 1767)
 - *Agapanthia* (*Epoptes*) *villosoviridescens* (DeGeer, 1775)
 - *Agapanthia* (*Smaragdula*) *intermedia* Ganglbauer, 1884
 - Gen. *Calamobius* Guérin-Méneville, 1847
 - *Calamobius* *filum* Rossi, 1790

Obecnie w Polsce stwierdzono występowanie **197** gatunków kózkowatych [19.07.2024]

LITERATURA.

Nowe gatunki dla fauny Polski, od 1958 roku.

1. ŚLIWIŃSKI Z., 1958. **Nathrius brevipennis** (MULS.) nowy gatunek dla fauny Polski. Pol. Pismo Ent. 28: 129-131.
2. BURAKOWSKI B. i Z. ŚLIWIŃSKI. 1981. Trzy nowe gatunki chrząszczy (Coleoptera) dla fauny Polski. Prz. Zool., Wrocław, 25, str. 107-119, 7 rys. - F. (**Mesosa myops**)
3. GUTOWSKI J.M., 1984. *Acmaeops smaragdula* (F.) - nowy dla fauny Polski gatunek kózki (Coleoptera, Cerambycidae). Pol.Pismo Ent.,Warszawa-Wrocław, 53, pp.671-672.
4. GUTOWSKI J.M., 1986. **Trichoferus pallidus** (Olivier, 1790) (Coleoptera, Cerambycidae) w Polsce. Przegląd Zoologiczny 30 (3): 313-317.
5. GUTOWSKI J.M., 1988. **Acmaeops angusticollis** (Gebler, 1833) (Coleoptera, Cerambycidae) w Polsce. Polskie Pismo Ent., 58: 493-496
6. BURAKOWSKI B., MROCZKOWSKI M., STEFAŃSKA J. (1990): Chrząszcze - Coleoptera: Cerambycidae i Bruchidae. Katalog Fauny Polski, Warszawa, XXIII, 15: 312 pp.
7. GUTOWSKI J.M., 1992. **Chlorophorus gracilipes** (FALDERMANN, 1835) - nowy dla fauny Polski przedstawiciel kózkowatych (Coleoptera, Cerambycidae). Wiad. Entomol., 11 (2): 81- 88.
8. ŚLAMA M., GUTOWSKI J.M., 1997. **Xylotrechus capricornis** (GEBLER, 1830) (Coleoptera, Cerambycidae) - gatunek nowy dla polskiej i czeskiej fauny. Wiad. Entomol., 16 (2): 83-97
9. GUTOWSKI J.M., 1995. Kózkowate (Coleoptera, Cerambycidae) wschodniej części Polski. Prace IBL, 811: 3 - 189.
10. GUTOWSKI J. M. 2005. Kózkowate (Cerambycidae). [W:] Fauna Polski - charakterystyka i wykaz gatunków. Tom I. - BOGDANOWICZ W., CHUDZICKA E., PILIPIUK I. i SKIBIŃSKA E. (red.), Muzeum i Instytut Zoologii PAN, Warszawa, 2004; 49-53, 73-76.
11. HILSZCZAŃSKI J. & BYSTROWSKI C., 2005. Aegomorphus wojtylai, a new species from Poland, with a key to European species of Aegomorphus Haldeman (Coleoptera, Cerambycidae). Genus, vol. 16 (2): 201-207 (*A. obscurior* Pic, 1904)
12. HILSZCZAŃSKI J., 2008. The synonymy and distribution of **Aegomorphus obscurior** (Pic, 1904), new status and occurrence of *A. francottei* Sama, 1994 in Poland (Coleoptera: Cerambycidae). Genus, vol. 19 (1): 61-63
13. GUTOWSKI J. M., HILSZCZAŃSKI J., KUBISZ D., KURZAWA J., MIŁKOWSKI M., MOKRZYCKI T., PLEWA R., PRZEWOŻNY M. & WEŁNICKI M., 2010. Distribution and host plants of **Leiopus nebulosus** (L.) and **L. linnaei** Wallin, Nylander et Kvamme (Coleoptera: Cerambycidae) in Poland and neighbouring countries.- Polskie Pismo Entomologiczne, 79: 271-282.
14. KRUSZELNICKI L., 2010. Doniesienie o występowaniu **Trichoferus campestris** (Faldermann, 1835) (Coleoptera: Cerambycidae) w Polsce.- Acta entomologica silesiana, Vol.18 (2010): 39-40.
15. KRÓLIK R., SZYPUŁA J., 2011. Potwierdzenie występowania w Polsce **Poecilium fasciatum** (VILLERS, 1789) (Coleoptera: Cerambycidae). Wiadomości Entomologiczne (Entomological News), 30 (3): 171-174.
16. ŚLAMA M., 2006. Icones Insectorum Europae Centralis. Coleoptera: Cerambycidae. Folia Heyrovskyana, Praha (Series B) 4: 1-40. (A.(S).intermedia)
17. KURZAWA J., SZCZEPAŃSKI W., SZCZEPAŃSKI W. 2012. Kózkowate (Coleoptera: Cerambycidae) maszyn Chryszczatej w Bieszczadach. Acta Ent. Silesiana vol. 20: 55-64. (C.rhamni skreślony z fauny Polski)
18. TATUR-DYTKOWSKI J., TRZECIAK A., GÓRSKI P. 2017. **Calamobius filum** (ROSSI, 1790) (Coleoptera: Cerambycidae) - nowy dla fauny Polski gatunek chrząszcza / Calamobius filum (ROSSI, 1790) (Coleoptera: Cerambycidae) - a new beetle species to the Polish fauna. Wiad. Entomol., 36 (1): 32-35.
19. GUTOWSKI, J. M. & KURZAWA, J. 2019.: New data on the distribution, biology and morphology of **Asemum tenuicornis** Kraatz, 1879 (Coleoptera: Cerambycidae), with new records from Poland. - Entomol. Fennica 30(2): 57-71. <https://doi.org/10.33338/ef.82920>
20. KURZAWA J., MIŁKOWSKI M., GUTOWSKI J.M. 2020. Nowe dane o taksonomii i rozmieszczeniu **Tetrops gilvipes** ssp. *adlbaueri* Lazarev, 2012 oraz *Tetrops praeustus* (Linnaeus, 1758) (Coleoptera: Cerambycidae). Rocznik Muzeum Górnośląskiego w Bytomiu, Przyroda: 26 pp. 1-20 (online013). [PDF](#)

Nazewnictwo przyjęto za Katalogiem Palearktycznym CPC Löbl & Smetana (2010), Danilevsky (2020) wraz z poprawkami.

Danilevsky M. L. 2020 (ed.). **Catalogue of Palaearctic Coleoptera**, vol. 6 (1), Chrysomeloidea I (Vesperidae, Disteniidae, Cerambycidae). **Revised and updated edition**. Leiden / Boston: Brill, i-xiii, 1-712.

Additions and corrections to CPC:

1. Danilevsky M.L. **2010**: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. *Russian Entomological Journal* 19, 3: 215-239.
2. Danilevsky M.L., **2011**: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. II. *Russian Entomological Journal* 19 [2010], 4: 313-324.
3. Danilevsky M.L., 2012: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. III. *Munis Entomology & Zoolog* 7, No. 1: 109-173.
4. Danilevsky M.L., 2012: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. IV.- Humanity Space. International Almanac, Vol. 1, No. 1: 86-136.
5. Danilevsky M.L., 2012: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. V.- Humanity Space. International Almanac, Vol. 1, No. 3: 695-741.

1. Kasatkin D.G., Miroshnikov A.I., 2011. [Some notes to corrections and additions to the new Catalog of Palaearctic timber-beetles (Coleoptera, Cerambycidae)].- <http://www.zin.ru/ANIMALIA/COLEOPTERA/rus/corcenew.htm> [in Russian]
2. Löbl I. & Smetana A., 2011. Errata for volume 6, pp. 35-61. In: I. Löbl & A.Smetana (ed.): Catalogue of Palaearctic Coleoptera, Vol. 7. Stenstrup: Apollo Books, 373pp.
3. Miroshnikov A. I. 2011a. The Longicorn beetles (Cerambycidae) in . Remarks and additions.- <http://www.zin.ru/animalia/coleoptera/rus/corcemir.htm> [in Russian]
4. Miroshnikov A.I. 2011b. The longicorn beetles (Cerambycidae) in "Catalogue of Palaearctic Coleoptera. Stenstrup, 2010". Remarks and additions. Entomologia Kubanica. Supplement ? 1. Krasnodar: 113pp. [in Russian with English abstract]
5. Miroshnikov A.I. 2011c. [Notes to . 2] [in Russian].- <http://www.zin.ru/ANIMALIA/COLEOPTERA/rus/mirosh13.htm>
6. Miroshnikov A.I. 2011d. [Addition to the future article preparing for publication] [in Russian].- <http://www.zin.ru/ANIMALIA/COLEOPTERA/rus/mirosh13.htm>
7. Özdikmen H. 2011. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana (2010) for Turkish taxa. Munis Entomology & Zoology, 6 (2): 686-734.
8. Danilevsky M.L. (author) & Lazarev M.A. (software) 2022. Catalogue of Palaearctic Chrysomeloidea (Vesperidae, Disteniidae, Cerambycidae). Version. 06.05.2022. - <http://cerambycidae.net>.
9. Danilevsky M. L. & Tavakilian G. 2022: Additions and corrections to the Catalogue of Palaearctic Coleoptera, vol. 6/1, 2020. Revised and Updated Second Edition. Chrysomeloidea I (Vesperidae, Disteniidae, Cerambycidae). Part II. Humanity space. International almanac 11 (2): 107-171.

Zmiany w nazewnictwie:

1. Miroshnikov A.I. 1998a. A new classification of longicorn beetles of the Anoplodera complex, tribe Lepturini (Coleoptera, Cerambycidae) of Holarctic fauna. I.- Rev. d'Entom., 77, 2: 384-421.
2. Miroshnikov A.I. 1998b. A new classification of longicorn beetles of the Anoplodera complex, tribe Lepturini (Coleoptera, Cerambycidae) of Holarctic fauna. II.- Rev. d'Entom., 77, 3: 588-618.
3. Lazarev, M. 2009. Cornumutilla quadrivittata (Gebler, 1830) and C. lineata (Letzner, 1844), stat. rest. (Coleoptera, Cerambycidae) from Western Europe and Russia. Longicornists, Special Bulletin of the Japanese Society of Coleopterology, No. 7. Tokyo: 117-126.
4. Cerambycidae by K. Adlbauer, M.L.Danilevsky, A.Drumont, L.Hubweber, Z.Komiya, I. Löbl, J.Morati, P.Rapuzzi, G.Sama, A.Smetana & A.Weigel] pp. 37-61, 84-334, 644-924 (part.). In: Löbl I. & Smetana A. (ed.): Catalogue of Palaearctic Coleoptera, 2010, Vol. 6. Stenstrup: Apollo Books, 924pp.
5. Bousquet et Bouchard, 2013. The genera in the second catalogue (1833-1836) of Dejean's Coleoptera collection. ZooKeys, 2013, 282: 1-219.
6. Zamoroka A., Semaniuk D.V., Shparyk V.Yu., Skrypnyk S.V., 2019. Taxonomic Position of Anastrangalia reyi and A. sequensi (Coleoptera, Cerambycidae) Based on Molecular and Morphological Data
7. Bousquet, Y. 2018. The dating of the fourth volume of Guillaume-Antoine Olivier's "Entomologie, ou histoire nature/le des insectes." ZooKeys 734: 137- 148.